

Page 1 of 7

CND-N-069

Prep	ared to OSHA, A	ACC, ANSI, NOHSC, WHMIS & 2001/58 EC	Standards	MSDS Revision: 7.0	MS	DS Revision Date	: 04/01/2008
		1. PROD	UCT IDE	NTIFICATION			
1.1	Product Name:						
	BRISA™ G	GLOSS					
1.2	Chemical Name: METHACRYLAT	E MIXTURE					
1.3	Synonyms: BRISA™ UV FIN	IISHING GLOSS					
1.4	Trade Names:						
	Brisa™ Gl	oss – Gel Top Coat					
1.5	Product Use: PROFESSIONA	LUSE ONLY					
1.6	Distributor's Name:						
	CREATIVE NAI						
1.7	Distributor's Addres						
1.8	Emergency Phone:	WAY, VISTA, CA 92081 USA					
	0 ,	+1 (800) 424-9300 / +1 (703) 527-	3887				
1.9	Business Phone:						
	(800) 833-NAII	. (6245), (760) 599-2900					
		2. HAZA	RD IDEN	NTIFICATION			
2.1	Hazard Identification	on:					
		s not classified as a HAZARDOUS SUBST. 2004) and ADG Code (Australia).	ANCE or a	S DANGEROUS GOOI	OS according	g to the classific	cation criteria of
2.2	Routes of Entry:	Inhalation:	YES	Absorption:	YES	Ingestion:	YES
2.3	Effects of Exposure				.,		
	INGESTION:	If product is swallowed, may cause r depression.	nausea, he	adache, vomiting a	nd/or diarrh	ea and central	nervous system
	EYES:	Irritating to the eyes. Symptoms of overe	•	•	•	-	
	SKIN:	May be irritating to skin in some sensitive			-	=	
	INHALATION:	Inhalation of vapors is unlikely under nor the levels listed in Section 2 (Compositio (e.g., drowsiness, dizziness, headaches, r	on and Ingr				
2.4	Symptoms of Over						
	EYES:	Overexposure in eyes may cause rednes	ss, itching a	nd watering.			
	SKIN:	Symptoms of skin overexposure in some areas.	e sensitive i	ndividuals may inclu	de redness,	itching, and irrit	ation of affected
2.5	Acute Health Effec	ts:					
	EYES:	Mild to moderate irritation to eyes near a	ffected are	as.			
	SKIN:	Mild to moderate irritation to skin near af	fected area	s.			
2.6	Chronic Health Effe	ects:					
2.7	Target Organs:						
	Eyes and skin.						
	Not Available;	ND = Not Determined; NE = Not Establish : All WHMIS required information is include		9			
				ited in appropriate se	notions hased	I ON THE ANSI 7/1	0 1-2004 format



Page 2 of 7

CND-N-069

Prep	pared to OSHA,	ACC, ANSI, NC	HSC, WHMIS	5 & 2001/58 EC	Standards	MSDS Re	evision:	7.0		MSDS	Revisio	n Date	e: 04/0	1/2008	3
			3. COI	<b>MPOSITION</b>	N & INGRE	DIENT	INFC	DRM	ATIO	N					
									EXPOS	SURE LI	MITS IN	AIR (	mg/m <sup>3</sup>	3)	
							AC	GIH		NOHSC	2	-	OSHA	-	
							pp	m		ppm			ppm		OTHER
						%			ES-	ES-	ES-				
	CHEMICAL N		CAS No.	RTECS No.	EINECS No.	<i>,</i> <b>,</b>	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	
	HANE METHACR	YLATE	NA	NA	NA	≤ 95.0	NE	NE	NF	NF	NF	NE	NE	NE	
METH	ACRYLATE MON	NOMERS	NA	NA	NA	≤ 8.0	NE	NE	NF	NF	NF	NE	NE	NE	
рнот	OINITIATORS		NA	NA	NA	≤ 0.8	NE	NE	NF	NF	NF	NE	NE	NE	
CI 60	730 (EXT. VIOLE	T #2)	4430-18-6	NA	224-618-7	≤ 0.05	NE	NE	NF	NF	NF	NE	NE	NE	
				4. FI	RST AID M	EASUI	RES								
4.1	First Aid:														
	INGESTION:			e vomiting. If											
				inue to offer v											
				-3887 or the ne									ovide c	ın estir	nate of
				erial was inges											
	EYES:			owever, if prod rs, contact a pl	•	eyes, flu	ish with		us am	ounts	of luke	warm	water	tor at I	east 15
	SKIN:			oduct is on the		roughly	with lu	kowar	m wat	or foll	owed	ov a t	horouc	h was	hing of
	JKIN.			ap and water.											
	INHALATION:	Remove victi	m to fresh aiı	r.			-		•		. ,				
4.2	Medical Condition	ns Aggravated by Ex	(posure:												
	None known.														
				5. FIRE	FIGHTING	MEAS	SURE	S							
5.1	Flashpoint & Meth	od:													
	> 160 °F (71 °C														
5.2	Autoignition Temp	erature:													
	NA			1											
5.3	Flammability Limits	S:		Lower Explos	ive Limit (LEL):		ND	U	pper E	xplosiv	ve Limit	(UEL):		ND	
5.4	Fire & Explosion Ha	azards:													
	NA														
5.5	Extinguishing Meth		. <b>.</b>										1		
F (	CO <sub>2</sub> , Halon, D Firefighting Proces	ry Chemical or	roam, as a	unorized.											
5.6	0 0			When involve	lin a fire thi		-			:			1 🗡	<b>1</b>	>
		is a combustil o produce carl			anianie, mi		u may	gnite	read	ny and	u			$\mathbf{>}$	
		ers should wear			•								$\sim$		
		Jse a water spr			ct vapors. Wa	ter may	not be	effecti	ve in c	ictuall	У				
	extinguishing	a fire involving	this product	t.											



6.1

7.1

Work & Hygiene Practices:

Spills

# **MATERIAL SAFETY DATA SHEET**

Page 3 of 7

CND-N-069

Droparad to OSUA A	WHMIS & 2001/58 EC Standards	MSDS Revision: 7.0
Ріерагец і Озпа, А	WHIVIIS & 2001/30 EC Statioalus	

MSDS Revision Date: 04/01/2008

## 6. ACCIDENTAL RELEASE MEASURES

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.

For small spills (e.g., < 1 gallon (3.785 liters)), wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

## 7. HANDLING & STORAGE INFORMATION

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.

1.Z	storage & Handning:
	Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed
	tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be
	handled with care.

	Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away fro	om
	incompatible materials (see Section 10, Stability and Reactivity).	
7.3	Special Precautions:	

Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care.

## 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

0.1	ventilation & engineering Controls.
	When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.
8.2	Respiratory Protection:
	No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada its provinces. E.C. member states or Australia

8.3	Eye Protection:
	Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133,
	Canadian standards, or the European Standard EN166.
8.4	Hand Protection:
	If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine
	industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, or the E.C. member states.
85	Body Protection:

8.5	No special body protection is required under typical circumstances of use and	HEALTH			4	1
	handling. If necessary, refer to appropriate standards of Canada, the E.C. member	FLAMM	ABILITY			1
	states, or U.S. OSHA.	REACTI	VITY			1
		PROTEC	CTIVE EG	UIPMENT		Α
		EYES				



Page 4 of 7

CND-N-069

Prep	ared to OSHA, ACC, ANSI, NO	DHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 MSDS Revision Date: 04/01/2008				
		9. PHYSICAL & CHEMICAL PROPERTIES				
9.1	Density:	NE				
9.2	Boiling Point:	NE				
9.3	Melting Point:	NE				
9.4	Evaporation Rate:	NE				
9.5	Vapor Pressure:	NE				
9.6	Molecular Weight:	NE				
9.7	Appearance & Color:	Clear blue viscous liquid with ester odor.				
9.8	Odor Threshold:	NE				
9.9	Solubility:	Slightly soluble in water.				
9.10	рН	ND				
9.11	Viscosity:	Low viscosity gel				
9.12	Other Information:	Vapor density > 1.0				
		10. STABILITY & REACTIVITY				
10.1	Stability:					
10.2	Hazardous Decomposition Products:	tions when stored properly (see Section 7, Storage and Handling).				
10.2		h temperatures, the products of thermal decomposition may include irritating vapors and carbon oxide				
10.3	Hazardous Polymerization:					
	May occur, if exposed to extremely high temperatures.					
10.4	Conditions to Avoid:					
	None known.					
10.5	Incompatible Substances:					
		e with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or uses (e.g., lye, potassium hydroxide).				
		11. TOXICOLOGICAL INFORMATION				
11.1	Toxicity Data:					
		n tested on animals to obtain toxicology data. There are toxicology data for the components of the scientific literature. These data have not been presented in this document.				
11.2	Acute Toxicity:					
	See section 2.5					
11.3	Chronic Toxicity:					
	See section 2.6					
11.4	Suspected Carcinogen:					
11.5	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.				
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.				
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.				
	Teratogenicity:					
	Reproductive Toxicity:	This product is not reported to cause teratogenic effects in humans. This product is not reported to cause reproductive effects in humans.				
11.6	Irritancy of Product:					
11.0	See section 2.3					
11.7	Biological Exposure Indices:					
	NE					
11.8	Physician Recommendations:					
	Treat symptomatically.					



Page 5 of 7 CND-N-069

Prep	pared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards	MSDS Revision: 7.0	MSDS Revision Date: 04/01/2008
	12. ECOLOGICA		
12.1	Environmental Stability:		
	There are no specific data available for this product.		
12.2	Effects on Plants & Animals:		
	There are no specific data available for this product.		
12.3	Effects on Aquatic Life:		
	There are no specific data available for this product; however overexposed aquatic life.	er, very large releases of this	s product may be harmful or fatal to
	13. DISPOSAL CO	ONSIDERATIONS	
13.1	Waste Disposal:		
13.2	Waste disposal must be in accordance with appropriate federal, Special Considerations:	state, and local regulations.	
13.2	NA		
	14. TRANSPORTATIO		
	basic description (ID Number, proper shipping name, hazard class		
	litional descriptive information may be required by 49 CFR, IATA/IC/		
14.1	49 CFR (GND):		
	NOT REGULATED		
14.2	IATA (AIR):		
	NOT REGULATED		
14.3	IMDG (OCN):		
	NOT REGULATED		
14.4	TDGR (Canadian GND): NOT REGULATED		
14.5	ADR/RID (EU):		
	NOT REGULATED		
14.6	SCT (MEXICO):		
	NOT REGULATED		
14.7	ADGR (AUS):		
	NOT REGULATED		
	15. REGULATORY		
15.1	U.S. EPA SARA Title III Reporting Requirements:		
	NA		
15.2	U.S. EPA SARA Title III Threshold Planning Quantity (TPQ):	ponte of this product	
15.3	There are no specific Threshold Planning Quantities for the compo U.S. TSCA Inventory Status:	mems of mis product.	
10.3	The components of this product are listed on the TSCA Inventory of	appropriate.	
15.4	U.S. CERCLA Reportable Quantity (RQ):		
	NA		
15.5	Other U.S. Federal Requirements:		
	This product complies with the appropriate sections of the Food a	nd Drug Administration's 21 Cl	FR subchapter G (Cosmetics).
15.6	Other Canadian Regulations:		
	This product has been classified according to the hazard criteria		
	the information required by the CPR. The components of this pro of the components of this product are listed on the Priorities Subst		VSL. NONE
15.7	U.S. State Regulatory Information:	undeg Ligi,	<b>—</b>
	No components of this mixture are listed in the California Proposit	ion 65 Lists.	



Page 6 of 7 CND-N-069

Prep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 MSDS Revision Date: 04/01/2008
	15. REGULATORY INFORMATION - continued
15.8	European Union 67/548/EEC and Australia NOHSC:2011 (2003) Requirements:
	The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC.
	The primary components of this product are not listed as Hazardous Components with the Australian Government, Australian Safety and Compensation Council, (HSIS).
	S: 24 Avoid contact with eyes.
	16. OTHER INFORMATION
16.1	Other Information:
	Warning: Precisely follow directions and MSDS (available through your supplier) for use. Avoid all skin contact. If redness or other signs of adverse reactions occur, discontinue use immediately. Avoid eye contact. Keep out of reach of children. Keep out of sunlight. FOR PREOFESSIONAL USE ONLY.
16.2	Terms & Definitions:
	Please see last page of this MSDS.
16.3	Disclaimer: This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for: Creative Nail Design, Inc. A Division of Colomer U.S.A., Inc. 1125 Joshua Way Vista, CA 92081 USA (800) 833-NAIL (6245) phone (760) 599-2900 (760) 599-4005 fax http://www.cnd.com/
16.5	Prepared by: ShipMate, Inc. PO Box 787 Sisters, OR 97759-0787 USA 310-360-3700 phone 310-360-5700 fax http://www.shipmate.com/



CND-N-069

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0

MSDS Revision Date: 04/01/2008

### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

### GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

### EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists			
TLV Threshold Limit Value				
OSHA	OSHA U.S. Occupational Safety and Health Administration			
PEL	PEL Permissible Exposure Limit			
IDLH	Immediately Dangerous to Life and Health			

### FIRST AID MEASURES:

CPR

Γ

Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

#### HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



### PERSONAL PROTECTION RATINGS:

A	Ś		G	Ś	۹	<b>N</b>	
в	\$		н	6	۹		<b>%</b>
C	\$	~	I	Ś	۹	<b>N</b>	
D	<b>B</b>	~	J		۹		<b>X</b>
E	S 🗳		к	Ŷ	۹	X	L
F	S~ 🇳	· <b></b>	x			pervisor ndling dir	
Sa	fety Glasses Boots	Splash Goggles	Eve I F	e Shield & Protectio	n	Glove Dust Resp	pirator
Vap	oor Respirator	Dust & Vapor Respirator		III Face spirator		Airlin Hood/Mo	

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

### FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition						
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source						
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source						

#### OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
_ <del>W</del> _	Use No Water
OX	Oxidizer



### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s							
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal							
ppm	Concentration expressed in parts of material per million parts							
TD <sub>io</sub>	Lowest dose to cause a symptom							
TCLo	Lowest concentration to cause a symptom							
TDio, LDio, & LDo Or	Lowest dose (or concentration) to cause lethal or toxic							
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	effects							
IARC	International Agency for Research on Cancer							
NTP	National Toxicology Program							
RTECS	Registry of Toxic Effects of Chemical Substances							
BCF	Bioconcentration Factor							
TLm	Median threshold limit							
log Kow or log Koc	Coefficient of Oil/Water Distribution							

### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
CPR	Canada's Controlled Product Regulations

#### EC INFORMATION:

		1×	*	8	<b>*</b>	×	×
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

#### WHMIS INFORMATION:

$\oslash$	۲	۲		1	۲		R
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive