Material Safety Data Sheet

Regulation (EC) No. 1907/2006, 1272/2008 Version No.: 1.0 Printing Date: July 1, 2021 Page 1/1

MSDS REPORT

GW Investments B.V. Olen 26, 5474 Nuenen The Netherlands

SDS Report No : SDS202106300001-2

Compilation Date : 30-06-2021

Trade Name : NailPerfect Universal Air Bond Product Names : NailPerfect Universal Air Bond 5 ml NailPerfect Universal Air Bond 15 ml

Compasition of the Ingredients: See section 3 on the SDS

Service Requested: Safety Data Sheet (SDS) for the requested sample.

Summary: The contents and the formats of the MSDS are prepared in

accordance with Regulation EC No 1907/2006, 1272/2008 Regulation (EU) No 2015/830 and are provided per atta-

ched.

SECTION 1: Identification of the Substance/Mixture and of the Company

1.1 Product Identifier

Trade Name: NailPerfect Air Bond Registration number: Data not available Made in: the Netherlands (European Union)

1.2 Relevant identified uses of the substance or mixture and uses advised against on

Application of the substance/misture: NailArt, Manicure/Pedicure, Nailcare. For professional use only!

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GW Beauty B.V.

Olen 26, 5474 Nuenen

The Netherlands

Tel: +31 617648788

Email: info@gwinvestments.nl

Further information obtainable from: GW Investments B.V.

1.4 Emergency telephone number

EU and Russia: 112 (Available 24 hours per day) UK: 999 (Available 24 hours per day)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to regulation (EC) 1272/2008:

Classification under the CHIP	F: R11; Xi: R36; N R50/53; -: R66; -: R67
Classification under CLP	Aquatic Acute 1: H400;
	Aquatic Chronic 1: H410;
	Eye Irrit. 2: H319;
	Flam. Liq. 1: H224;
	STOT SE 3: H336
Most important adverse effects	Highly flammable.
	Irritating to eyes.
	Causes serious eye irritation.
	May cause an allergic reaction.
	Very toxic to aquatic organisms, may cause longterm
	adverse effects in the aquatic environment.
	Repeated exposure may cause skin dryness or crac-
	king.
	Vapours may cause drowsiness and dizziness.
Ingredients of unknown toxidity	Percentage of the mixture consisting of ingredient(s)
	of unknown toxicity: 9.5%

2.2 Label Elements

Label elements under CLP	
Hazard statements	H224: Extremely flammable liquid and vapour. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.
Signal words	Danger
Hazard pictograms	GHS02: Flame GHS07: Exclamation mark
Precautionary statements	P280: Wear: Protective clothing, Eye protection, protective mask, faceprotection, gloves. P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing.Rinse skin with. P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312: Call a POISON CENTER or doctor if you feel unwell. P370+378: In case of fire: Use for extinction.
Label elements under CHIP	Highly flammable. Irritant. Dangerous for the environment.
Hazard symbols	

Cont. Risk Phrases	May cause long-term adverse effects in the aquatic environment. R66: Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness.
Safety phrases	S61: Avoid release to the environment. Refer to special instructions / safety data sheets.
Signal words	Danger

2.3 Other Hazards

Other hazards	Unknown
PBT	This substance is not identified as a PBT sub-
	stance.
Signal words	Danger

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredients:

INCI NAME	ETHYL ACETATE			
Mol. Formula	C ₄ H ₈ O ₂	$C_4H_8O_2$		
REACH Number	Index No: 607-022	-00-5		
Cosmetic Function	SOLVENT			
EC Number	CAS Number	Chemical ID	CLP Classification	Percent
205-500-4	141-78-6	Ethyl Acetate	Flam. Liq. 2: H335; STOT SE 3: H336; Eye Irrit. 2: H319.	75-100

TM

INCI NAME	2-hydroxyethylmethacrylate			
Mol. Formula	C ₆ H ₁₀ O ₃	C ₆ H ₁₀ O ₃		
REACH Number	Index No: 607-124	I-00-X / (EU) 2020/	1682 Annex III/313	
Cosmetic Function	FILMFORMING			
EC Number	CAS Number	CAS Number Chemical ID CLP Classification Percent		Percent
212-782-2	868-77-9	2-hydroxyethylme- thacrylate / HEMA	Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1: H317; Aq. Chron. 4: H413. Professional Use Only.	5 - 10

INCI NAME	ISOPROPYLIDENEDIPHENYL BISOXYHYDROXYPROPYL METHACRYLA- TE			
Mol. Formula	C29H36O8	C29H36O8		
REACH Number	Not Listed			
Cosmetic Function	FILM FORMING			
EC Number	CAS Number	Chemical ID	May Cause, not proven	Percent
216-367-7	1565-94-2	(1-methy- lethylidene) bis[4,1-phenyle- neoxy(2-hydroxy- -3,1-propanediyl)] bismethacrylate	Eye Dam. 1: H318; Skin Sens. 1: H317; Skin Irr. 2: H315; Eye Irr. 2: H319; Aq. Chron. 3: H412; STOT SE 3: H335; Acute Tox. 4: H302; Skin Corr. 1C: H314; Matu. 2: H341.	5-10

INCI NAME	P-HYDROXYANISOLE			
Mol. Formula	C7H8O2			
REACH Number	Index No: 604-044			
	EC Regulation Pro	VISION. 111/95		
Cosmetic Function	REDUCING			
EC Number	CAS Number	Chemical ID	CLP Classification	Percent
205-769-8	150-76-5	Mequinol	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Sens. 1:H317; Aq. Chron. 3: H412; Acute Tox. 4: H302; Repr. 2: H361.	<0,2

INCI NAME	Hydroquinone			
Mol. Formula	C ₆ H ₆ O ₂			
REACH Number		Index No. 604-005-00-4		
	(EC) 2013/344 An	nex III/14	,	
Cosmetic Function	REDUCING			
EC Number	CAS Number	Chemical ID	CLP Classification	Percent
204-617-8	123-31	Hydroquino- ne	Carc. 2: H351; Muta. 2: H341; Acute Tox. 4 *: H302; Eye Dam. 1: H318; Skin Sens. 1:H317; Aq. Acute 1: H400. Professional Use Only.	<0,02

May contain colorants which are not classified.

4.2 Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye Contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

TN

NAILPERFECT PROFESSIONAL SYSTEMS

	Trace is a second of the secon
Ingestion	Wash out mouth with water.
	Remove dentures if any.
	Remove victim to fresh air and keep at rest in a
	position comfortable for breathing.
	If material has been swallowed and the expo-
	sed person is conscious, give small quantities
	of water to drink.
	Stop if the exposed person feels sick as vomi-
	ting may be dangerous.
	Do not induce vomiting unless directed to do so
	by medical personnel.
	If vomiting occurs, the head should be kept low
	so that vomit does not enter the lungs.
	Get medical attention if adverse health effects
	persist or are severe.
	Never give anything by mouth to an uncons-
	cious person. If unconscious, place in recovery
	position and get medical attention immediately.
	Maintain an open airway.
	Loosen tight clothing such as a collar, tie, belt
	or waistband.
Protection of first-aiders	No action shall be taken involving any personal
	risk or without suitable training.
	It may be dangerous to the person providing
	aid to give mouth-to-mouth resuscitation.
	Wash contaminated clothing thoroughly with
	water before removing it, or wear
	gloves.
	1 -

4.2. Most important symptoms and effects, both acute and delayed

Skin contact	There may be irritation and redness at the site of contact.
Eye Contact	There may be irritation and redness. The eyes may water profusely.
Ingestion	There may be soreness and redness of the mouth and throat.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
Delayed/ Immediate Effects	Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

ĺ	Immediate special treatment	Eye bathing equipment should be available on
	miniculate special treatment	Lyc battling equipment should be available on
		the premises.

4.4. Most important symptoms and effects, both acute and delayed

nay be irritation and redness. es may water profusely.
nay be soreness and redness of the and throat.
nay be irritation of the throat with a fee- ightness in the chest. e symptoms may include the following: or vomiting he less/fatigue
ate effects can be expected after short- oposure.

4.5. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

SECTION 5: FIRE-Fighting MEASURES

5.1 Extinguishing Media

Extinguishing Media	Use dry chemical, CO₂, water spray (fog) or
	foam.
	Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Exposure hazards	In combustion emits toxic fumes.
Hazards from the substance or mixture	Highly flammable liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explo-
	sion. Runoff to sewer may create fire or explosion hazard.

Hazardous thermal decomposition products	Decomposition products may include the follo-
	wing materials:
	carbon dioxide
	carbon monoxide

5.3 Advice for fire-fighters

Advice for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedurs

Personal precautions	Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel fromentering. Do not touch or walk through spilt material. Shut off all ignition sources.

 $\mathsf{T}\mathsf{N}$

NAILPERFECT PROFESSIONAL SYSTEMS

For non-emergency personnel	No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.

6.2. Environmental precautions

Environmental precautions	Avoid dispersal of spilt material and runoff and
	contact with soil, waterways, drains
	and sewers.
	Inform the relevant authorities if the product
	has caused environmental pollution (sewers,
	waterways, soil or air).
	Do not discharge into waterways such as
	drains, lakes, rivers, ocean.
	Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Small spill	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble.
	Alternatively, or if water-insoluble, absorb with
	an inert dry material and place in an appropria-
	te waste disposal container.
	Dispose of via a licensed waste disposal con-
	tractor.
Large spill	Stop leak if without risk.
	Move containers from spill area.
	Use spark-proof tools and explosion-proof
	equipment.
	Approach the release from upwind.
	Prevent entry into sewers, water courses, base-
	ments or confined areas.

Large spill cont.	Wash spillages into an effluent treatment plant
	or proceed as follows.
	Contain and collect spillage with noncombusti-
	ble, absorbent material e.g. sand, earth, ver-
	miculite or diatomaceous earth and place in
	container for disposal according to local regula-
	tions.
	Dispose of via a licensed waste disposal con-
	tractor.
	Contaminated absorbent material may pose the
	same hazard as the spilt product.

6.4. Reference to other sections

Reference to other sections	See Section 1 for emergency contact informati-
	on.
	See Section 8 for information on appropriate
	personal protective equipment.
	See Section 13 for additional waste treatment
	information.

SECTION 7: HANDLING AND STORAGE

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handeling

Handling requirements	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.
Protective measures	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Use only with adequate ventilation. Wearappropriate respirator when ventilation is inadequate.

Protective measures cont.	Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous.
Advice on general occupational hygiene	Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Temperature	Store between the following temperatures: 13 to 27°C (55.4 to 80.6°F).
Storage conditions: Exposure	Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.
Storage conditions: Dangerous reaction	Eliminate all ignition sources. Separate from oxidizing materials.
Storage conditions: Packaging and Labeling	Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers.
Storage conditions: Regulations	Store in accordance with local regulations.

Seveso II Directive - Reporting thresholds (in tonnes)

Category		Safety report threshold
P5c: Flammable liquids 2 and 3 not falling under P5a or P5b	5000	50000
C7b: Highly flammable (R11)	5000	50000

7.3. Specific end use(s)

Specific end use(s)	No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Hazardous ingredients

ETHYL ACETATE

(LTEL) Value 734 mg/m3 200 ppm (STEL) Value1468 mg/m3 400 ppm

Commission Directive (EU) 2017/164 of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU.

8.1. DNEL/PNEC Values

DNEL/PNEC	No data available.
-----------	--------------------

 TN

NAILPERFECT PROFESSIONAL SYSTEMS

8.2. Exposure controls

Engineering measures	Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.
Respiratory protection	Self-contained breathing apparatus must be available in case of emergency. ALWAYS use protective mask.
Hand protection	ALWAYS use rotective gloves.
Eye protection	ALWAYS use safety glasses. Ensure eye bath is to hand.
Protection of face	Use Protective maks
General Theft Protection	Keep the products locked up when not in use to prevent theft. Keep out of reach of children.

ГМ

NAILPERFECT PROFESSIONAL SYSTEMS

EXPLANATORY DESCRIPTION

General Hygiene Measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. Itshould be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.

TM

Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Respiratory protection	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

State	Liquid
Colour	Colourless
Odor	Characteristic odor: Ester.
Flash point°C	Closed cup: -3.3°C
Upper/lower flammability or explosive limits	Lower: 0.04%
Vapour pressure	Not available.
Vapour density	1 [Air = 1]
Relative density	0.94
Solubility(ies)	Insoluble in the following materials: cold water and
	hot water.
Auto-ignition temperature	750 to 900°C
Decomposition temperature	Not available
Viscosity	Dynamic (room temperature): 15 mPa·s

9.2. Other information

Other information	No data available.
-------------------	--------------------

SECTION 10: STABILITY AND REACTIVITY

10.1.Reactivity

Reactivity	No specific test data related to reactivity availa-
	ble for this product or its ingredients.

10.2. Chemical stability

Chemical stability	The product is stable.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Hazardous reactions or instability may occur
	under certain conditions of storage or
	use.

10.4. Conditions to avoid

Conditions to avoid	Avoid all possible sources of ignition (spark		
	or flame). Do not pressurise, cut, weld, braze		
	solder, drill, grind or expose containers to heat		
	or sources of ignition.		

10.5. Incompatible materials

Materials to avoid	Strong oxidizing agents.		
	Strong acids.		

10.6. Hazardous decomposition products

Reactivity	Under normal conditions of storage and use,
	hazardous decomposition products should not
	be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1..Information on toxicological effects

INCI NAME	_		141-78-6 DATA THROUGH ECHA (European Chemical Agency)		
Short Term Exp.	Dose Descript. Level		Species	Result	
Oral	LD50	ca. 4 435 mg/kg bw	Rat	Category 5 based on GHS criteria	
Inhalation	LC0	> 1.19 mg/L air (nominal)	Rat	GHS criteria not met	
Dermal	LD50	7 522 mg/kg bw	Rat	GHS criteria not met	

INCI NAME			141-78-6 DATA THROUGH ECHA (European Chemical Agency)	
Repeated Exp.	Dose Descript. Level		Time Exposed	Result
Oral	NOEL	75 mg/kg bw/da	-	adverse effect observed
Inhalation	NOAEC	226 mg/m³	30h/w	adverse effect observed
Dermal	No data	No data	-	No Studies conducted

Carcinogenicity	No adverse effect observed (negative) (ECHA, 2021)
Acute Toxicity	2-Ethylhexyl acrylate is of low toxicity after a single ingestion and virtually nontoxic after a single skin contact. The inhalation of a highly saturated vapour-air-mixture represents an unlikely acute hazard. (ECHA, 2021)
Repeated Exposure Toxicity	GHS classification (GHS UN rev.4, 2011) identical to REGULATION (EC) No 1272/2008.

INCI NAME			1565-94-2 DATA THROUGH ECHA (European Chemical Agency)	
Short Term Exp.	Dose Descript.	Level	Species	Result
Oral	No data	No data	-	No data (European Chemical Agency)
Inhalation	No data	No data	-	No data (European Chemical Agency)
Dermal	No data	No data	-	No data (European Chemical Agency)

INCI NAME			1565-94-2 DATA THROUGH ECHA (European Chemical Agency)	
Repeated Exp.	Dose Descript.	Level	Time Exposed	Result
Oral	No data	No data	-	No data (European Chemical Agency)
Inhalation	No data	No data	-	No data (European Chemical Agency)
Dermal	No data	No data	-	No data (European Chemical Agency)

Carcinogenicity	No data (European Chemical Agency)
Acute Toxicity	No data (European Chemical Agency)
Repeated Exposure Toxicity	No data (European Chemical Agency)

INCI NAME			868-77-9 DATA THROUGH ECHA (European Chemical Agency)	
Short Term Exp.	Dose Descript.	Level	Species	Result
Oral	LD50	5 564 mg/kg bw	rat	Not reliable (European Chemical Agency)
Inhalation	No data	No data	-	No data (European Chemical Agency)
Dermal	LD50	>5 000 mg/kg bw	rabbit	Not reliable (European Chemical Agency)

INCI NAME	HEMA		868-77-9 DATA THROUGH E	CHA (European Chemical Agency)
Repeated Exp.	Dose Descript.	Level	Time Exposed	Result
Oral	NOAEL	100 mg/kg bw/day	-	adverse effect observed (European Chemical Agency)
Inhalation	No data	No data	-	There are no relevant inhalation studies available on HEMA (European Chemical Agency)
Dermal	No data	No data	-	There are no relevant dermal studies available on HEMA (European Chemical Agency)

Carcinogenicity	There is no relevant concern on carcinogenicity
	in humans and animals (EU Risk Assessment Report for MMA (2002); (European Chemical Agency)
Acute Toxicity	Based on the LD50 values, HEMA is not classi-
	fied for acute toxicity. (European Chemical Agency)
Repeated Exposure Toxicity	HEMA is not classified for repeated dose toxici-
	ty.No severe or irreversible effects were iden-
	tified. CLP criteria are not met NOAEL >= 100
	mg/kg. (European Chemical Agency)

INCI NAME	P-HYDROXYANISOLE		150-76-5 DATA THROUGH ECHA (European Chemical Agency)	
Short Term Exp.	Dose Descript.	Level	Species	Result
Oral	No data	No data	-	Not reliable (European Chemical Agency)
Inhalation	No data	No data	-	Not reliable (European Chemical Agency)
Dermal	No data	No data	-	Not reliable (European Chemical Agency)

ГΜ

INCI NAME	P-HYDROXYANISOLE		150-76-5 DATA THROUGH ECHA (European Chemical Agency)	
Repeated Exp.	Dose Descript.	Level	Time Exposed	Result
Oral	NOAEL	150 mg/kg bw/day	LT	adverse effect observed (European Chemical Agency)
Inhalation	No data	No data	-	There are no relevant inhalation studies available on HEMA (European Chemical Agency)
Dermal	No data	No data	-	There are no relevant dermal studies available on HEMA (European Chemical Agency)

Carcinogenicity	TNo impact on tumour incidence were observed in mice and rabbits after PMP dermal long term exposure. (European Chemical Agency)
Acute Toxicity	Three non-reliable studies are available for the oral acute toxicity. The results of two studies are consistent with the official classification in Europe: Acute Tox. Cat.4, H302. One reliable study by dermal route is available. Based on this study the substance is not classified. (European Chemical Agency)
Repeated Exposure Toxicity	Not classified as repeated toxicity (European Chemical Agency)

11.2.Symptoms / routes of exposure

Skin contact	There may be irritation and redness at the site of contact. Cracking.
Eye contact	There may be irritation and redness. The eyes may water profusely
Ingestion	There may be soreness or redness of the mouth and throat.
Inhalation	Adverse symptoms may include the following: nausea or vomiting, headache, drowsiness/fatigue, dizziness/vertigo
Delayed / immediate effects: General	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
Delayed / immediate effects: Carcinogenicity	No known significant effects or critical hazards.
Delayed / immediate effects: Mutagenicity	No known significant effects or critical hazards.
Delayed / immediate effects: Teratogenicity	No known significant effects or critical hazards.
Delayed / immediate effects: Developmental effects	No known significant effects or critical hazards.
Delayed / immediate effects: Fertility effects	No known significant effects or critical hazards.

SECTION 12: ECOLOGICAL INFORMATION

12.1.Toxicity

Ecotoxicity values	For information see the website of the Euro-
	pean Chemical Agency under the correct regis-
	tration name (Inci Name, cas number and/or ec
	number).

12.2. Persistence and degradability

Persistence and degradability	For information see the website of the Euro-	
	pean Chemical Agency under the correct regis-	
	tration name (Inci Name, cas number and/or ec	
	number).	

12.3. Bioaccumulative potential

Bioaccumulative potential	For information see the website of the Euro-
	pean Chemical Agency under the correct regis-
	tration name (Inci Name, cas number and/or ec
	number).

12.4. Mobility in soil

Soil/water partition coefficient (KOC)	Not available.
Mobility	Not available.

12.5. Results of PBT and vPvB assessment

PBT identification	This product is not identified as a PBT substan-
	ce.
vPvB identification	This product is not identified as a vPvB substan-
	ce.

12.6. Other adverse effects

Other adverse effects	No known significant effects or critical hazards.
-----------------------	---

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal operations	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not bedisposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	The classification of the product may meet the criteria for a hazardous waste.
Hazardous waste	The generation of waste should be avoided or minimised wherever possible. Wastepackaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	This material and its container must be disposed of in a safe way. Care should betaken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: TRANSPORT INFORMATION

	ADR/RID	ADN	IMDG	IATA
14.1	1993	1993	1993	1993
UN number				
14.2	FLAMMABLE	FLAMMABLE	FLAMMABLE	FLAMMABLE
UN proper ship-	LIQUIDS, N.O.S.	LIQUIDS, N.O.S.	LIQUIDS, N.O.S.	LIQUIDS, N.O.S.
ping name				
14.3	3	3	3	3
Transport ha-				
zard class(es)	4.5	4.3	The second secon	The second secon
	3	3	3	3
44.4	 		11	11
14.4	II	II	II	II
Packing				
group				
14.5	No.	Yes.	No.	No.
Environmental				
hazards				
Additional	Special provisions	-	Emergency	Special provisions
information	640 (C)		schedules (EmS)	A3
	Tunnel code		307	
	(D/E)			

114.6. Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and
secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

114.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Special precautions	Transport within user's premises: always trans-
	port in closed containers that are upright and
	secure. Ensure that persons transporting the
	product know what to do in the event of an ac-
	cident or spillage.

SECTION 15: TRANSPORT INFORMATION

15.1. Safety, health and environmental regulation/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)
Annex XIV - List of substances subject to authorisation

Annex XIV	None of the components are listed.
Substances of very high concern	None of the components are listed.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.
Other EU regulations	All components are listed or exempted.
Europe inventory	
[-	
Seveso II Directive	This product is controlled under the Seveso II Directive.
Danger criteria : Category	P5c: Flammable liquids 2 and 3 not falling under P5a or P5b C7b: Highly flammable (R11)
15.2 Chemical Safety	This product contains substances for which
Assessment	Chemical Safety Assessments are still
	required.

SECTION 16: OTHER INFORMATION

Other information:

Other information	This safety data sheet is prepared in accordance with Regulation (EC) No 453/2010 * Indicates text in the SDS which has changed since the last revision
Phrases used in s.2 and 3	EUH066: Repeated exposure may cause skin dryness or cracking. H224: Extremely flammable liquid and vapour. H225: Highly flammable liquid and vapour. H226: Flammable liquid and vapour. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects. R10: Flammable. R11: Highly flammable R36/38: Irritating to eyes and skin.

Abbreviations and	ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging
	Regulation [Regulation (EC) No.
	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard state-
	ment
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumula-
	tive

NAILPERFECT

PROFESSIONAL SYSTEMS

Aquatic Chronic 3, H412	LONG-TERM AQUATIC HAZARD - Category 3
Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/ EYE IRRITATION -
	Category 2
Flam. Liq. 2, H225	FLAMMABLE LIQUIDS - Category 2
Skin Irrit. 2, H315	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1, H317	SKIN SENSITIZATION - Category 1
STOT SE 3, H336	SPECIFIC TARGET ORGAN TOXICITY (SIN-
	GLE EXPOSURE) [Narcotic effects] - Category
	3
Phrases used in s.2 and 3	EUH066: Repeated exposure may cause skin
	dryness or cracking.
	H224: Extremely flammable liquid and vapour.
	H225: Highly flammable liquid and vapour.
	H226: Flammable liquid and vapour.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting
	effects.
	H412: Harmful to aquatic life with long lasting
	effects.
	R10: Flammable.
	R11: Highly flammable
FI 1: 0 11005	R36/38: Irritating to eyes and skin.
Flam. Liq. 2, H225	On basis of test data
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1, H317 STOT SE 3,	Calculation method
H336 (Narcotic effects)	Calculation method
Aquatic Chronic 3, H412	Calculation method
[
l I anal disclaimer	The above information is believed to be correct

Legal disclaimer	The above information is believed to be correct
	but does not purport to be all inclusive and shall
	be used only as a guide. This company shall
	not be held liable for any damage resulting from
	handling or from contact with the above pro-
	duct.

The contents and format of this SDS are in accordance with REgulation (EC) No. 1907/2006, 1272/2008 and Regulation (EU) No. 2015/830.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methos of handling, storage, use or disposal of the product are beyond our control and may be behound our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Abbriviations and acronyms

COMMON ABRIVIATIONS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET.

°C	Degrees in Centigrade
°F	Degrees in Farenheit
ADR	Accord European sur le transport des marchan- dises dangereuse par Route (European Agree- ment concerning the International
ATE	Acute Toxicity Estimate
CAS Number	Chemical Abstract Service - Registry number. Identification number for a specific substance.
CLP	Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC Number	Enzyme Commission Number. Numerical classification for enzymes. Specific number.
EC25	Effect Concentration e.g. EC25 - is at 25%
IMDG	International Maritime Code for Dangerous Goods.
IATA	Internatinal Air Transport Association
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LC50	The concentration of a material in air which, on the basis of laboratory tests, is expected to kill 50% of a group
LOEC	Lowest concentration where an effect has been observed in chronic ecotoxicity studies

COMMON ABRIVIATIONS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET.

Log Pow	A product's ability to bioaccumulate through the food chain
mg/L	Miligrams per Liter
MSDS	Material Safety Data Sheet
N/E	Not Explored - No data available.
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
RRN	REACH Registration Number
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
SDS	Safety Data Sheet
SVHC	Substance of Very High Concern
EUH statement	CLP-specific Hazard statement
vPvB	Very Persistent and Very Bioaccumulative
Eye Irrit. 2, H319	Calculation method

Eye Irrit. 2, H319	Calculation method
Skin Sens. 1, H317 STOT SE 3,	Calculation method
H336 (Narcotic effects)	Calculation method
Aquatic Chronic 3, H412	Calculation method

The following page contains explanation of abriviative warnings which may or may not be of concern to this SDS. See section 2 and 3 to determine if these warnings are applicable to this product!

TN

NAILPERFECT

PROFESSIONAL SYSTEMS

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: See section 2 and 3 which are applicable to this product.		
H220:	Extremely flammable gas	
H225:	Highly flammable liquid and vapour	
H226:	Flammable liquid and vapour	
H241:	Heating may cause a fire or explosion	
H242:	Heating may cause a fire	
H302:	Harmful if swallowed.	
H312:	Harmful in contact with skin or if inhaled	
H313:	May be harmful in contact with skin	
H314	Causes severe skin burns and eye damage	
H315:	Causes skin irritation.	
H316:	Causes mild skin irritation	
H317:	May cause an allergic skin reaction.	
H318:	Causes serious eye damage.	
H319:	Causes serious eye irritation.	
H330	Fatal if inhaled	
H332:	Harmful if inhaled	
H334:	May cause allergy or asthma symptoms or breathing difficulties if inhaled	
H335:	May cause respiratory irritation.	
H336:	May cause respiratory irritation	
H340:	May cause genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	
H341:	Suspected of causing genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	
H350:	May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	
H351:	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	
H361f:	Suspected of damaging fertility.	
H370:	Causes damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	

TM

NAILPERFECT

PROFESSIONAL SYSTEMS

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: Section 2 and 3 describe which are applicable to this product.		
Acute Tox. 1	ACUTE TOXIDITY - Category 1 Falal if Inhaled	
Acute Tox. 2	ACUTE TOXIDITY - Category 2 Falal if Inhaled	
Acute Tox. 3	ACUTE TOXIDITY - Category 3 Toxic if inhaled	
Acute Tox. 4	ACUTE TOXIDITY - Category 4 Harmful if inhaled	
Aq.Chron. 1	LONG-TERM AQUATIC HAZARD - Category 1	
Aq.Chron. 2	LONG-TERM AQUATIC HAZARD - Category 2	
Aq.Chron. 3	LONG-TERM AQUATIC HAZARD - Category 3	
Carc. 1A	CARCINOGEN - Category 1 Known to have carcinogen potential for humans	
Carc. 1B	CARCINOGEN - Category 1 Presumed to have carcinogen potential for humans	
Carc. 2	CARCINOGEN - Category 2 Limited evidence from studies	
Eye Dam. 1	SERIOUS EYE DAMAGE - Category 1 Irreversable effects on the eye	
Eye Irrit. 2	SERIOUS EYE IRRITATION - Category 2 Irritating to eyes. Fully reversable normally in 21 days or less.	
Eye Irrit. 2B	EYE IRRITATION - Category 2B Mildly irritating to eyes. Fully reversable in 7 days.	
Flam. Liq. 1	FLAMMABLE LIQUIDS - Category 1 Flashpoint <23°C (73.4°F) and initial boiling point <35°C (95°F)	
Flam. Liq. 2	FLAMMABLE LIQUIDS - Category 2 (Flashpoint <23°C (73.4°F) and initial boiling point >35°C (95°F))	
Flam. Liq. 3	FLAMMABLE LIQUIDS - Category 1 Flashpoint >23°C (73.4°F) and initial boiling point <60°C (140°F)	
Muta. 1A	MUTATION OF CELLS - Category 1 Known to induce heritable mutations in germ cells of humans	

TM

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS		
SHEET: Section 2 and 3 describe which are applicable to this product.		
H371:	May cause damage to organs (or state all organs affected, if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	
H372:	Causes damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	
H373:	May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	
H400:	Very toxic to aquatic life.	
H410:	Very toxic to aquatic life with long lasting effects.	
H411:	Toxic to aquatic life with long lasting effects	
H412:	Harmful to aquatic life with long lasting effects.	
H413:	May cause long lasting harmful effects to aquatic life	
EUH066:	Repeated exposure may cause skin dryness or cracking.	
For Professional Use Only	Shoudl be used by professionally trained personell only. Specific training for this product needed.	

TN

NAILPERFECT PROFESSIONAL SYSTEMS

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: See section 2 and 3 which are applicable to this product.

SHEET: See section 2 and 3 which are applicable to this product.		
Muta. 1B	MUTATION OF CELLS - Category 1 Regarded as if induce heritable mutations in germ cells of humans	
Muta. 1B	MUTATION OF CELLS - Category 2 Causes concern for the possibility of causing heritable mutations in germ cells of humans	
Rep. 2	REPRODUCTIVE TOXIDITY - Category 2 Evidence from human studies is limited. May spread through breastfeeding	
Resp. Sens. 1A	RESPITORY SENSITIZATION - Category 1 Evidence in Humans that the substance can induce respiratory hypersensitivity	
Resp. Sens 1B	RESPITORY SENSITIZATION - Category 1 Suspected that the substance can induce respiratory hypersensitivity	
Skin Corr. 1	SKIN CORROSION - Category 1 Irreversable effects on the skin	
Skin Corr. 1A	SKIN CORROSION - Category 1A Irreversable effects on the skin in less than 3 minutes exposure	
Skin Corr. 1B	SKIN CORROSION - Category 1B Irreversable effects on the skin in 3 minutes - 60 minutes exposure	
Skin Irrit. 2	SKIN IRRITATION - Category 2 Causes reversable skin irritation effects. Recovery within 21 days to be expected.	
Skin Sens. 1	SKIN SENSITIZATION - Category 1 Causing significant sensitization in humans when on skin	
Skin Sens. 1A	SKIN SENSITIZATION - Category 1 Causing significant sensitization in humans when on skin	
Skin Sens. 1B	SKIN SENSITIZATION - Category 1 Low to moderate fequency of causing significant sensitization in humans	
Skin Sens. 2	SKIN SENSITIZATION - Category 2 Low chance of skin sensitization in humans	

 TN

NAILPERFECT PROFESSIONAL SYSTEMS

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS		
SHEET: See section 2 and 3 which are applicable to this product.		
STOT SE 1	SPECIFIC TARGET ORGAN TOXICITY (SIN-GLE EXPOSURE) - Category 1 Potential to produce significant toxidity in humans following a single exposure.	
STOT SE 2	SPECIFIC TARGET ORGAN TOXICITY (SIN-GLE EXPOSURE) - Category 2 Potential to be harmful in human health after a single exposure.	
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY (SIN-GLE EXPOSURE) - Category 3 Potential to cause narcotic effects (dizziness, drowsiness) and respiratory tract irritation (sore throat, caugh). These effects are temporary/not long term.	
STOT RE 2	SPECIFIC TARGET ORGAN TOXICITY (RE- PEATED EXPOSURE) - Category 2 Potential to be harmful in human health after a repeated exposures.	

End of safety data sheet