Material Safety Data Sheet

Regulation (EC) No. 1907/2006, 1272/2008 Version No.: 1.0 Printing Date: July 1, 2021 Page 1/1

MSDS REPORT

GW Investments B.V. Olen 26, 5474 Nuenen The Netherlands

SDS Report No : SDS202106280010-2

Compilation Date : 28-06-2021

Trade Name: NailPerfect Soak Off Base Gel **Compasition of the Ingredients:** See section 3 on the SDS

Service Requested: Safety Data Sheet (SDS) for the requested sample.

Summary : The contents and the formats of the MSDS are prepared in

accordance with Regulation EC No 1907/2006, 1272/2008 Regulation (EU) No 2015/830 and are provided per atta-

ched.

SECTION 1: Identification of the Substance/Mixture and of the Company

1.1 Product Identifier

Trade Name: NailPerfect Soak off Base Gel

May be packaged and/or bottled in 5 ml and 15 ml

Registration number: Data not available

Made in: THE NETHERLANDS (European Union)

1.2 Relevant identified uses of the substance or mixture and uses advised against on Application of the substance/misture: Nail Art, Manicure, Pedicure, Nailcare

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GW Beauty B.V.

Olen 26, 5474 Nuenen

The Netherlands

Tel: +31 617648788

Email: info@gwinvestments.nl

Further information obtainable from: GW Investments B.V.

1.4 Emergency telephone number

EU and Russia: 112 (Available 24 hours per day) UK: 999 (Available 24 hours per day)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to regulation (EC) 1272/2008:

| Classification under CLP | Acute Tox. 4, H312 | |
|---------------------------------|--|--|
| | Skin Irrit. 2, H315 | |
| | Eye Irrit. 2, H319 | |
| | Skin Sens. 1, H317 | |
| | Repr. 2, H361f (Fertility) | |
| Most important adverse effects | Harmful in contact with skin. | |
| | Causes serious eye irritation. | |
| | Causes skin irritation. | |
| | May cause an allergic skin reaction. | |
| | Suspected of damaging fertility. | |
| Ingredients of unknown toxicity | unknown oral toxicity | |
| | unknown dermal toxicity | |
| | unknown hazards to the aquatic environment | |

$\mathsf{T}\mathsf{N}$

NAILPERFECT PROFESSIONAL SYSTEMS

2.2 Label Elements

| Label elements under CLP | |
|--|--|
| Hazard statements | H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H312: Harmful in contact with skin H361: Suspected of damaging fertility |
| Signal words | WARNING |
| Hazard pictograms | GHS07: Exclamation mark GHS08: Health Hazard symbol |
| | |
| Precautionary statements | P280: Wear: Protective clothing, Eye protection, protective mask, faceprotection, gloves. P302+352: IF ON SKIN: Wash with plenty of water/soap. P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312: Call a POISON CENTER or doctor if you feel unwell. |
| Hazard Ingredients | 2-hydroxyethyl methacrylate CELLULOSE ACETATE BUTYRATE TPO Ethylene glycol dimethacrylate |
| Storage | Store Locked Up |
| Disposal | Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | Not Applicable |
| Containers to be fitted with child-resistant fastenings | Not applicable. |
| Tactile warning of danger | Not applicable. |
| Signal words | Warning |

NAILPERFECT

PROFESSIONAL SYSTEMS

2.3 Other Hazards

| Other hazards | Unknown |
|---------------|--|
| PBT | This substance is not identified as a PBT sub- |
| | stance. |
| Signal words | WARNING |

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredients:

| INCI NAME | Di-Hema Trimethyl | hexyl Dicarbamate | | |
|-------------------|-------------------|---|--|-----------|
| Mol. Formula | C23H38N2O8 | | | |
| REACH Number | Not Listed | | | |
| Cosmetic Function | NAIL SCULPTING | | | |
| EC Number | CAS Number | Chemical ID | CLP Classification | Percent |
| 276-957-5 | 72869-86-4 | 7,7,9(or 7,9,9)-tri- methyl-4,13-di- oxo-3,14-dioxa- -5,12-diazahexa- decane-1,16-diyl bismethacrylate | STOT SE 3: H335; Eye Irrit. 2: H319; Eye Irrit. 2: H315; Skin Sens 1: H317; Skin Sens. 1B; H317; Skin Irrit. 2: H315; Aq Chron 2: H411; Aq Chron 3: H412. | ≥25 - ≤50 |

| INCI NAME | HEMA | | | |
|-------------------|---|--------------------------------|--|-----------|
| Mol. Formula | C ₆ H ₁₀ O ₃ | | | |
| REACH Number | Index No. 607-124 (EU) 2020/1682 Ar | | | |
| Cosmetic Function | NAIL SCULPTING | | | |
| EC Number | CAS Number | Chemical ID | CLP Classification | Percent |
| 212-782-2 | 868-77-9 | 2-hydroxyethyl methacrylate | Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1: H317. | ≥25 - ≤50 |

| INCI NAME | Cellulose Acetate Butyrate | | | | |
|-------------------|---|------------------------------|--|-----------|--|
| Mol. Formula | $C_4H_8O_2\cdot \chi C_2H_4O_2\cdot \chi$ | | | | |
| REACH Number | Not Listed | | | | |
| Cosmetic Function | FILMFORMING | FILMFORMING | | | |
| EC Number | CAS Number | Chemical ID | CLP Classification | Percent | |
| 618-381-2 | 9004-36-8 | Cellulose, acetate butanoate | Acute Tox. 4: H312; Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335. | ≥10 - ≤17 | |

| INCI NAME | ISOBORNYL METHACRYLATE | | | |
|-------------------|------------------------|---|--|---------|
| Mol. Formula | C14H22O2 | | | |
| REACH Number | Not Listed | | | |
| Cosmetic Function | FILM FORMING | | | |
| EC Number | CAS Number | Chemical ID | CLP Classification | Percent |
| 231-403-1 | 7534-94-3 | Exo-1,7,7-trime- thylbicyclo[2.2.1] hept-2-yl metha- crylate | Skin Irrit. 2: H315; STOT SE 3: H335; Eye Irrit. 2: H319; Skin Sens. 1: H317; Aq. Chron. 3: H421; Aq. Chron. 2: H411. | 10-25 |

| INCI NAME | Hydroxycyclohexyl | phenyl ketone | | |
|-------------------|-------------------|---|--|---------|
| Mol. Formula | C13H16O2 | | | |
| REACH Number | Not Listed | | | |
| Cosmetic Function | BINDING | | | |
| EC Number | CAS Number | Chemical ID | CLP Classification | Percent |
| 213-426-9 | 947-19-3 | Hydroxycyclo- hexyl phenyl keto- ne | Eye Irrit. 2: H319; Acute Tox. 4: H332; Skin Irrit. 2: H315; STOT SE 3: H335. | ≤5 |

ГΜ

NAILPERFECT PROFESSIONAL SYSTEMS

| INCI NAME | TPO / TRIMETHYLBENZOYL DIPHENYLPHOSPHINE OXIDE | | | |
|-------------------|--|--|--|---------|
| Mol. Formula | C22H21O2P | | | |
| REACH Number | List No: 015-203-0 | 0-x | | |
| Cosmetic Function | SKIN CONDITION | ING | | |
| EC Number | CAS Number | Chemical ID | CLP Classification | Percent |
| 278-355-8 | 75980-60-8 | Trimethylbenzoyl diphenylphosphine oxide | Repr. 2,: H361f; Skin Sens.1B: H317; Aq. Chron. 2: H411; Skin Sens. 1: H317; Aq. Acute 1: H400; Skin Irrit. 2: H315; Eye Irrit. 2: H319. | ≤5 |

| INCI NAME | Glycol HEMA-Meth | Glycol HEMA-Methacrylate | | | | |
|-------------------|--------------------|---|---|----|--|--|
| Mol. Formula | C10H14O4 | | | | | |
| REACH Number | Index No. 607-114- | -00-5 | | | | |
| Cosmetic Function | NAIL CONDITIONI | NG | | | | |
| EC Number | CAS Number | CAS Number Chemical ID CLP Classification Percent | | | | |
| 202-617-2 | 97-90-5 | Ethylene dimetha- crylate | Skin Sens. 1: H317; STOT SE 3: H335. | ≤3 | | |

| INCI NAME | Bis(methacryloylox | yethyl) phosphate | | |
|-------------------|--------------------|--|--|---------|
| Mol. Formula | C12H19O8P | | | |
| REACH Number | Not Listed | | | |
| Cosmetic Function | NAIL CONDITIONI | NG | | |
| EC Number | CAS Number | Chemical ID | CLP Classification | Percent |
| 251-040-2 | 32435-46-4 | Bis(methacryloy- loxyethyl) hydro- gen phosphate | Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aq. Chron. 3: H412; STOT SE 3: H335; Skin Sens. 1B: H317; Eye Dam. 1: H318; Skin Corr.1A: H314. | ≤3 |

| INCI NAME | P-HYDROXYANISOLE | | | | | |
|-------------------|------------------|---|--|---------|--|--|
| Mol. Formula | C7H8O2 | | | | | |
| REACH Number | | Index No: 604-044-00-7 EC Regulation Provision: III/95 | | | | |
| Cosmetic Function | REDUCING | REDUCING | | | | |
| EC Number | CAS Number | Chemical ID | CLP Classification | Percent | | |
| 205-769-8 | 150-76-5 | Mequinol | Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Sens. 1:H317; Aq. Chron. 3: H412; Acute Tox. 4: H302; Repr. 2: H361. | ≤0,02 | | |

| INCI NAME | Hydroquinone | | | |
|-------------------|--|-------------------|---|---------|
| Mol. Formula | C ₆ H ₆ O ₂ | | | |
| REACH Number | Index No. 604-005-00-4 (EC) 2013/344 Annex III/14 | | | |
| Cosmetic Function | REDUCING | | | |
| EC Number | CAS Number | Chemical ID | CLP Classification | Percent |
| 204-617-8 | 123-31 | Hydroquino- ne | Carc. 2: H351; Muta. 2: H341; Acute Tox. 4 *: H302; Eye Dam. 1: H318; Skin Sens. 1:H317; Aq. Acute 1: H400. Professional Use Only. | ≤0,02 |

4.2 Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

| Skin contact | Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention. |
|--------------|---|
| Eye Contact | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention |
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention. |

| Ingestion | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
|----------------------------|---|
| Protection of first-aiders | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |

4.2. Most important symptoms and effects, both acute and delayed

| Skin contact | There may be irritation and redness at the site of contact. |
|----------------------------|--|
| Eye Contact | There may be irritation and redness. The eyes may water profusely. |
| Ingestion | There may be soreness and redness of the mouth and throat. |
| Inhalation | There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing. |
| Delayed/ Immediate Effects | Immediate effects can be expected after short-term exposure. |

4.3. Indication of any immediate medical attention and special treatment needed

| Immediate special treatment | Delayed reactions can be expected when inha- |
|-----------------------------|---|
| | led of burned product: 48 hrs med. obersvation. |

4.4. Most important symptoms and effects, both acute and delayed

| Skin contact | Adverse symptoms may include the following: irritation, redness, dryness, cracking |
|----------------------------|--|
| Eye Contact | There may be irritation and redness. The eyes may water profusely. |
| Ingestion | There may be soreness and redness of the mouth and throat. |
| Inhalation | There may be irritation of the throat with a feeling of tightness in the chest. Adverse symptoms may include the following: nausea or vomiting headache drowsiness/fatigue dizziness/vertigo |
| Delayed/ Immediate Effects | Delayed reactions can be expected when inhaled of burned product: 48 hrs med. obersvation. |

4.5. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

SECTION 5: FIRE-Fighting MEASURES

5.1 Extinguishing Media

| Extinguishing Media | Use an extinguishing agent suitable for the |
|---------------------|---|
| | surrounding fire. |

5.2. Special hazards arising from the substance or mixture

| Exposure hazards | In combustion emits toxic fumes. |
|---------------------------------------|--|
| Hazards from the substance or mixture | In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from beingdischarged to any waterway, sewer or drain. |

| Hazardous thermal decomposition products | Decomposition products may include the follo- |
|--|--|
| | wing materials: |
| | carbon dioxide, carbon monoxide, nitrogen oxi- |
| | des, phosphorus oxides. |

5.3 Advice for fire-fighters

| Advice for fire-fighters | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed contai- |
|--|--|
| | ners cool. |
| Special protective equipment for fire-fighters | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedurs

| Personal precautions | Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. |
|-----------------------------|--|
| For non-emergency personnel | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel fromentering. Do not touch or walk through spilt material. Shut off all ignition sources. |

| For non-emergency personnel | No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|-----------------------------|--|
| For emergency responders | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures. |

6.2. Environmental precautions

| Environmental precautions | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and se- |
|---------------------------|---|
| | wers. |
| | Inform the relevant authorities if the product |
| | has caused environmental pollution (sewers, |
| | waterways, soil or air). |
| | Do not discharge into waterways such as |
| | drains, lakes, rivers, ocean. |
| | Contain the spillage using bunding. |

6.3. Methods and material for containment and cleaning up

| Small spill | Stop leak if without risk. |
|-------------|---|
| | Move containers from spill area. |
| | Use spark-proof tools and explosion-proof |
| | equipment. |
| | Dilute with water and mop up if water-soluble. |
| | Alternatively, or if water-insoluble, absorb with |
| | an inert dry material and place in an appropria- |
| | te waste disposal container. |
| | Dispose of via a licensed waste disposal con- |
| | tractor. |
| Large spill | Stop leak if without risk. |
| | Move containers from spill area. |
| | Use spark-proof tools and explosion-proof |
| | equipment. |
| | Approach the release from upwind. |
| | Prevent entry into sewers, water courses, base- |
| | ments or confined areas. |

| Large spill cont. | Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the |
|-------------------|---|
| | same hazard as the spilt product. |

6.4. Reference to other sections

| Reference to other sections | See Section 1 for emergency contact informati- |
|-----------------------------|--|
| | on. |
| | See Section 8 for information on appropriate |
| | personal protective equipment. |
| | See Section 13 for additional waste treatment |
| | information. |

SECTION 7: HANDLING AND STORAGE

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handeling

| Handling requirements | Avoid direct contact with the substance. |
|-----------------------|---|
| | Ensure there is sufficient ventilation of the area. |
| | Do not handle in a confined space. |
| | Avoid the formation or spread of mists in the air. |
| Protective measures | Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Use only with adequate ventilation. Wearappropriate respirator when ventilation is inadequate. |
| | |

TN

NAILPERFECT PROFESSIONAL SYSTEMS

| Protective measures cont. | Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|--|---|
| Advice on general occupational hygiene | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

7.2. Conditions for safe storage, including any incompatibilities

| Storage conditions: Temperature | Do not store above the following temperature: 38°C (100.4°F). |
|--|---|
| Storage conditions: Exposure | Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Avoid UV Light. |
| Storage conditions: Dangerous reaction | Eliminate all ignition sources. Separate from oxidizing materials. |
| Storage conditions: Packaging and Labeling | Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. |
| Storage conditions: Regulations | Store in accordance with local regulations. |

Seveso II Directive - Reporting thresholds (in tonnes)

| | | Safety report threshold |
|---|---------|-------------------------|
| P5c: Flammable liquids 2 and 3 not falling under P5a or P5b C7b: Highly flammable (R11) | No Data | No Data |

7.3. Specific end use(s)

| Specific end use(s) | Nail Art, Manicure, Pedicure; Professional Use |
|---------------------|--|
| | Only! Do not use under age: 21+ years. |

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Hazardous ingredients

8.1. Workplace Exposure limits

| Exposure Limits | No exposure limit value known. |
|-----------------|--------------------------------|

Recogmendation

| Recommended monitoring procedures | If this product contains ingredients with exposu- |
|-----------------------------------|---|
| | re limits, personal, workplace |
| | atmosphere or biological monitoring may be |
| | required to determine the effectiveness |
| | of the ventilation or other control measures |
| | and/or the necessity to use respiratory |
| | protective equipment. Reference should be |
| | made to monitoring standards, such as |
| | the following: European Standard EN 689 |
| | (Workplace atmospheres - Guidance for |
| | the assessment of exposure by inhalation to |
| | chemical agents for comparison with |
| | limit values and measurement strategy) Euro- |
| | pean Standard EN 14042 (Workplace |
| | atmospheres - Guide for the application and |
| | use of procedures for the assessment |
| | of exposure to chemical and biological agents) |
| | European Standard EN 482 |
| | (Workplace atmospheres - General require- |
| | ments for the performance of procedures |
| | for the measurement of chemical agents). |

 TN

NAILPERFECT PROFESSIONAL SYSTEMS

8.2. Exposure controls

| Engineering measures | Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids. |
|--------------------------|---|
| Respiratory protection | Self-contained breathing apparatus must be available in case of emergency. ALWAYS use protective mask. |
| Hand protection | ALWAYS use rotective gloves. |
| Eye protection | ALWAYS use safety glasses. Ensure eye bath is to hand. |
| Protection of face | Use Protective maks |
| General Theft Protection | Keep the products locked up when not in use to prevent theft. Keep out of reach of children. |

EXPLANATORY DESCRIPTION

| General Hygiene Measures | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
|--------------------------|--|
| Hand protection | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. Itshould be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods. |

TN

NAILPERFECT PROFESSIONAL SYSTEMS

| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
|---------------------------------|--|
| Eye/face protection | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| Respiratory protection | Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| State | Liquid |
|--|-------------------------------------|
| Colour | Clear |
| Odor | Characteristic odor. Acrylate odor. |
| Flash point°C | >93,3 when in closed cup |
| Upper/lower flammability or explosive limits | Not available. |
| Vapour pressure | Not available. |
| Vapour density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available |
| Viscosity | Viscous |

9.2. Other information

| Other information | No data available. |
|-------------------|--------------------|
|-------------------|--------------------|

SECTION 10: STABILITY AND REACTIVITY

10.1.Reactivity

| Reactivity | No specific test data related to reactivity availa- |
|------------|---|
| | ble for this product or its ingredients |

10.2. Chemical stability

| Chemical stability | Stable under normal conditions. |
|--------------------|---------------------------------|
|--------------------|---------------------------------|

10.3. Possibility of hazardous reactions

| Possibility of hazardous reactions | Hazardous polymerization may occur under |
|------------------------------------|---|
| | certain conditions of storage or use. |
| | These could cause the product to polymerize |
| | exothermically. Unintentional contact |
| | with them should be avoided. |

10.4. Conditions to avoid

| Conditions to avoid | Direct sunlight. Heat. |
|---------------------------------------|---|
| 10.5. Incompatible materials | |
| Materials to avoid | No data available. |
| 10.6. Hazardous decomposition product | ts |
| Reactivity | In combustion emits toxic fumes. Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

SECTION 11: TOXICOLOGICAL INFORMATION

11.1..Information on toxicological effects

Hazardous ingredients

Toxicity reports per ingredient available through the European Chemical Agency Website, at www.echa.eu. Website is available for the general public and data can be found

Di-HEMA trimethylhexyl dicarbamate

| Carcinogenicity | No data (ECHA, 2021) |
|----------------------------|----------------------|
| Acute Toxicity | No data (ECHA, 2021) |
| Repeated Exposure Toxicity | No data (ECHA, 2021) |

Isobornyl methacrylate

| Carcinogenicity | Due to the absence of a mutagenic potential, carcinogenicity is not to expected. |
|-----------------|---|
| Acute Toxicity | Isobornyl methacrylate is of low toxicity by oral route (LD50rat >= 2000 mg/kg). No fully reliable data are available for the dermal and inhalation routes. Due to the low vapour pressure of isobornyl methacrylate, inhalation is not considered as a relevant pathway of exposure. According to the criteria as of directive 1272/2008/EC, no classification is warranted for the acute toxicity. (ECHA, 2021) |

HEMA

| Carcinogenicity | There is no relevant concern on carcinogenicity in humans and animals (EU Risk Assessment Report for MMA (2002); (European Chemical Agency) |
|----------------------------|---|
| Acute Toxicity | Based on the LD50 values, HEMA is not classified for acute toxicity. (European Chemical Agency) |
| Repeated Exposure Toxicity | HEMA is not classified for repeated dose toxicity. No severe or irreversible effects were identified. CLP criteria are not met NOAEL >= 100 mg/kg. (European Chemical Agency) |

Trimethylbenzoyl diphenylphosphine oxide

| Carcinogenicity | No Data (European Chemical Agency) |
|----------------------------|--|
| Acute Toxicity | Based on the results of the available studies, diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide is not required to be classified for its acute toxicity potential according to 67/548/EEC and CLP/EU-GHS requirements. (European Chemical Agency) |
| Repeated Exposure Toxicity | Repeated dose toxicity: via oral route - syste- |
| | mic effects (European Chemical Agency) |

Silica

| Carcinogenicity | No data (ECHA, 2021) |
|----------------------------|----------------------|
| Acute Toxicity | No data (ECHA, 2021) |
| Repeated Exposure Toxicity | No data (ECHA, 2021) |

Maleic anhydride

| Carcinogenicity | Index No: 607-096-00-9(European Chemical Agency) |
|----------------------------|---|
| Acute Toxicity | Index No: 607-096-00-9(European Chemical Agency) |
| Repeated Exposure Toxicity | Index No: 607-096-00-9 (European Chemical Agency) |

Hydroquinone

| Carcinogenicity | Index No. 604-005-00-4 |
|----------------------------|----------------------------|
| Acute Toxicity | Index No. 604-005-00-4 |
| Repeated Exposure Toxicity | (EC) 2013/344 Annex III/14 |

 TN

NAILPERFECT PROFESSIONAL SYSTEMS

| Carcinogenicity | Carcinogenicity: via oral route (EU Risk Assessment Report for MMA (2002); (European Chemical Agency) |
|-----------------|---|
| Acute Toxicity | Oral route: PMP is officially classified as harmful if swallowed (acute oral toxicity category 4, H302: Harmful if swallowed) according to CLP Regulation (EC) n° 1272/2008 Annex VI table 3. Inhalation: Since PMP particle size is higher than 100 µm, no study by inhalation route is required. Dermal route: Based on the dermal LD50 in rats greater than 2000 mg/kg bw, PMP is not classified for dermal acute toxicity according to CLP Regulation (EC) n° 1272/2008. (European Chemical Agency) |

PEG-9

| Carcinogenicity | No data (ECHA, 2021) |
|----------------------------|----------------------|
| Acute Toxicity | No data (ECHA, 2021) |
| Repeated Exposure Toxicity | No data (ECHA, 2021) |

PEG-10

| Carcinogenicity | No data (ECHA, 2021) |
|----------------------------|----------------------|
| Acute Toxicity | No data (ECHA, 2021) |
| Repeated Exposure Toxicity | No data (ECHA, 2021) |

11.2.Symptoms / routes of exposure

| Skin contact | Causes skin irritation. May cause an allergic skin reaction. Adverse symptoms may include the following: redness irritation |
|--------------|---|
| Eye contact | Causes serious eye irritation. Adverse symptoms may include the following: pain or irritation watering redness |
| Ingestion | No known significant effects or critical hazards. |
| Inhalation | May cause respiratory irritation. No specific data. |

SECTION 12: ECOLOGICAL INFORMATION

12.1.Toxicity

Information on possible bio-toxidity per ingredient can be found on the website of the European Chemical Agency at www.echa.com, under the relevant inci name, ec number or cas number.

12.2. Persistence and degradability

| Persistence and degradability | No data available |
|-------------------------------|-------------------|

12.3. Bioaccumulative potential

Information on possible bio-accumulative potential per ingredient can be found on the website of the European Chemical Agency at www.echa.com, under the relevant inci name, ec number or cas number.

12.4. Mobility in soil

| Soil/water partition coefficient (KOC) | Not available. |
|--|----------------|
| Mobility | Not available. |

12.5. Results of PBT and vPvB assessment

| PBT identification | This product is not identified as a PBT substan- |
|---------------------|--|
| | ce. |
| vPvB identification | This product is not identified as a vPvB substan- |
| | ce. |

12.6. Other adverse effects

| Other adverse effects | No known significant effects or critical hazards. |
|-----------------------|---|

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Disposal operations | The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not bedisposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |
|---------------------|---|
| Hazardous waste | The classification of the product may meet the criteria for a hazardous waste. |
| Hazardous waste | The generation of waste should be avoided or minimised wherever possible. Wastepackaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. |
| Special precautions | This material and its container must be disposed of in a safe way. Care should betaken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. |

SECTION 14: TRANSPORT INFORMATION

| | ADR/RID | ADN | IMDG | IATA |
|---|---------|------|------|------|
| 14.1 UN number | None | None | None | None |
| 14.2 UN proper ship- ping name | None | None | None | None |
| 14.3 Transport ha- zard class(es) | None | None | None | None |
| 14.4 Packing group | None | None | None | None |
| 14.5 Environmental hazards | No. | No. | No. | No. |
| Additional information | - | - | - | - |

114.6. Special precautions for user

| Special precautions | Transport within user's premises: always trans- |
|---------------------|---|
| | port in closed containers that are upright and |
| | secure. Ensure that persons transporting the |
| | product know what to do in the event of an ac- |
| | cident or spillage. |

114.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

| Special precautions | Transport within user's premises: always trans- |
|---------------------|---|
| | port in closed containers that are upright and |
| | secure. Ensure that persons transporting the |
| | product know what to do in the event of an ac- |
| | cident or spillage. |

SECTION 15: TRANSPORT INFORMATION

15.1. Safety, health and environmental regulation/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

| Annex XIV | None of the components are listed. |
|--|--|
| | |
| Substances of very high concern | None of the components are listed. |
| | |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | Not applicable. |
| | |
| Other EU regulations | All components are listed or exempted. |
| Europe inventory | |
| Γ. | T |
| Seveso II Directive | Not applicable. |
| | |
| Danger criteria : Category | Not applicable. |
| | |
| 15.2 Chemical Safety | Unknown |
| Assessment | |

 $\mathsf{T}\mathsf{N}$

NAILPERFECT PROFESSIONAL SYSTEMS

SECTION 16: OTHER INFORMATION

Other information:

| Other information | This safety data sheet is prepared in accordance with Regulation (EC) No 453/2010 * Indicates text in the SDS which has changed since the last revision |
|---------------------------|--|
| Phrases used in s.2 and 3 | H302: Harmful if swallowed. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H361f: Suspected of damaging fertility. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects. |

| Abbreviations and | ATE = Acute Toxicity Estimate |
|-------------------|---|
| acronyms | CLP = Classification, Labelling and Packaging |
| | Regulation [Regulation (EC) No. |
| | 1272/2008] |
| | DMEL = Derived Minimal Effect Level |
| | DNEL = Derived No Effect Level |
| | EUH statement = CLP-specific Hazard state- |
| | ment |
| | PBT = Persistent, Bioaccumulative and Toxic |
| | PNEC = Predicted No Effect Concentration |
| | RRN = REACH Registration Number |
| | vPvB = Very Persistent and Very Bioaccumula- |
| | tive |

NAILPERFECT PROFESSIONAL SYSTEMS

| Aquatic Chronic 3, H412 Eye Irrit. 2, H319 | LONG-TERM AQUATIC HAZARD - Category 3 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 |
|--|--|
| Flam. Liq. 2, H225 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT SE 3, H336 | FLAMMABLE LIQUIDS - Category 2 SKIN CORROSION/IRRITATION - Category 2 SKIN SENSITIZATION - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SIN-GLE EXPOSURE) [Narcotic effects] - Category 3 |
| Phrases used in s.2 and 3 | EUH066: Repeated exposure may cause skin dryness or cracking. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects. R10: Flammable. R11: Highly flammable R36/38: Irritating to eyes and skin. |
| Eye Irrit. 2, H319 | Calculation method |
| Skin Sens. 1, H317 STOT SE 3, | Calculation method |
| H336 (Narcotic effects) | Calculation method |
| Aquatic Chronic 3, H412 | Calculation method |

| Legal disclaimer | The above information is believed to be correct |
|------------------|--|
| | but does not purport to be all inclusive and shall |
| | be used only as a guide. This company shall |
| | not be held liable for any damage resulting from |
| | handling or from contact with the above pro- |
| | duct. |

The contents and format of this SDS are in accordance with REgulation (EC) No. 1907/2006, 1272/2008 and Regulation (EU) No. 2015/830.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methos of handling, storage, use or disposal of the product are beyond our control and may be behound our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Abbriviations and acronyms

COMMON ABRIVIATIONS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET.

| °C | Degrees in Centigrade |
|------------|---|
| °F | Degrees in Farenheit |
| ADR | Accord European sur le transport des marchan- dises dangereuse par Route (European Agree- ment concerning the International |
| ATE | Acute Toxicity Estimate |
| CAS Number | Chemical Abstract Service - Registry number. Identification number for a specific substance. |
| CLP | Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008 |
| DMEL | Derived Minimal Effect Level |
| DNEL | Derived No Effect Level |
| EC Number | Enzyme Commission Number. Numerical classification for enzymes. Specific number. |
| EC25 | Effect Concentration e.g. EC25 - is at 25% |
| IMDG | International Maritime Code for Dangerous Goods. |
| IATA | Internatinal Air Transport Association |
| GHS | Globally Harmonized System of Classification and Labeling of Chemicals |
| LC50 | The concentration of a material in air which, on the basis of laboratory tests, is expected to kill 50% of a group |
| LOEC | Lowest concentration where an effect has been observed in chronic ecotoxicity studies |

COMMON ABRIVIATIONS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET.

| Log Pow | A product's ability to bioaccumulate through the food chain |
|----------------------------|---|
| mg/L | Miligrams per Liter |
| MSDS | Material Safety Data Sheet |
| N/E | Not Explored - No data available. |
| NOEC | No Observed Effect Concentration |
| NOEL | No Observed Effect Level |
| RRN | REACH Registration Number |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No Effect Concentration |
| SDS | Safety Data Sheet |
| SVHC | Substance of Very High Concern |
| EUH statement | CLP-specific Hazard statement |
| vPvB | Very Persistent and Very Bioaccumulative |
| Eye Irrit. 2, H319 | Calculation method |
| Ckin Cone 4 H247 CTOT CE 2 | Calculation method |

| Eye Irrit. 2, H319 | Calculation method |
|-------------------------------|--------------------|
| Skin Sens. 1, H317 STOT SE 3, | Calculation method |
| H336 (Narcotic effects) | Calculation method |
| Aquatic Chronic 3, H412 | Calculation method |

The following page contains explanation of abriviative warnings which may or may not be of concern to this SDS. See section 2 and 3 to determine if these warnings are applicable to this product!

NAILPERFECT

PROFESSIONAL SYSTEMS

| | HICH MAY OR MAY NOT BE USED IN THIS MSDS |
|--------|---|
| H220: | nd 3 which are applicable to this product. Extremely flammable gas |
| H225: | Highly flammable liquid and vapour |
| H226: | Flammable liquid and vapour |
| H241: | Heating may cause a fire or explosion |
| H242: | Heating may cause a fire |
| H302: | Harmful if swallowed. |
| H312: | Harmful in contact with skin or if inhaled |
| H313: | May be harmful in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H315: | Causes severe skin burns and eye damage Causes skin irritation. |
| H316: | Causes mild skin irritation |
| H317: | May cause an allergic skin reaction. |
| H318: | Causes serious eye damage. |
| H319: | Causes serious eye damage. Causes serious eye irritation. |
| H330 | Fatal if inhaled |
| H332: | Harmful if inhaled |
| | |
| H334: | May cause allergy or asthma symptoms or bre- athing difficulties if inhaled |
| H335: | May cause respiratory irritation. |
| H336: | May cause respiratory irritation |
| H340: | May cause genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) |
| H341: | Suspected of causing genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) |
| H350: | May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) |
| H351: | Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) |
| H361f: | Suspected of damaging fertility. |
| H370: | Causes damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) |

NAILPERFECT PROFESSIONAL SYSTEMS

PROTESSIONAL SISILMS

| COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: See section 2 and 3 which are applicable to this product. | | |
|--|--|--|
| | | |
| | Falal if Inhaled | |
| Acute Tox. 2 | ACUTE TOXIDITY - Category 2 | |
| | Falal if Inhaled | |
| Acute Tox. 3 | ACUTE TOXIDITY - Category 3 | |
| | Toxic if inhaled | |
| Acute Tox. 4 | ACUTE TOXIDITY - Category 4 | |
| | Harmful if inhaled | |
| Aq.Chron. 1 | LONG-TERM AQUATIC HAZARD - Category 1 | |
| Aq.Chron. 2 | LONG-TERM AQUATIC HAZARD - Category 2 | |
| Aq.Chron. 3 | LONG-TERM AQUATIC HAZARD - Category 3 | |
| Carc. 1A | CARCINOGEN - Category 1 | |
| | Known to have carcinogen potential for humans | |
| Carc. 1B | CARCINOGEN - Category 1 | |
| | Presumed to have carcinogen potential for | |
| | humans | |
| Carc. 2 | CARCINOGEN - Category 2 | |
| | Limited evidence from studies | |
| Eye Dam. 1 | SERIOUS EYE DAMAGE - Category 1 | |
| | Irreversable effects on the eye | |
| Eye Irrit. 2 | SERIOUS EYE IRRITATION - Category 2 | |
| | Irritating to eyes. Fully reversable normally in | |
| True limit OD | 21 days or less. | |
| Eye Irrit. 2B | EYE IRRITATION - Category 2B Mildly irritating to eyes. Fully reversable in 7 | |
| | days. | |
| Flam. Liq. 1 | FLAMMABLE LIQUIDS - Category 1 | |
| i iaiii. Liq. i | Flashpoint <23°C (73.4°F) and initial boiling | |
| | point <35 °C (95 °F) | |
| Flam. Lig. 2 | FLAMMABLE LIQUIDS - Category 2 | |
| | (Flashpoint <23°C (73.4°F) and initial boiling | |
| | point >35°C (95°F)) | |
| Flam. Liq. 3 | FLAMMABLE LIQUIDS - Category 1 | |
| | Flashpoint >23°C (73.4°F) and initial boiling | |
| | point <60 °C (140 °F) | |
| Muta. 1A | MUTATION OF CELLS - Category 1 | |
| | Known to induce heritable mutations in germ | |
| | cells of humans | |

NAILPERFECT PROFESSIONAL SYSTEMS

| COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS | | |
|--|---|--|
| SHEET: See section 2 and 3 which are applicable to this product. | | |
| H371: | May cause damage to organs (or state all organs affected, if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) | |
| H372: | Causes damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) | |
| H373: | May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) | |
| H400: | Very toxic to aquatic life. | |
| H410: | Very toxic to aquatic life with long lasting effects. | |
| H411: | Toxic to aquatic life with long lasting effects | |
| H412: | Harmful to aquatic life with long lasting effects. | |
| H413: | May cause long lasting harmful effects to aquatic life | |
| EUH066: | Repeated exposure may cause skin dryness or cracking. | |
| For Professional Use Only | Shoudl be used by professionally trained personell only. Specific training for this product needed. | |

ГΜ

NAILPERFECT PROFESSIONAL SYSTEMS

| COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS | | |
|--|--|--|
| SHEET: See section 2 and 3 which are applicable to this product. | | |
| Muta. 1B | MUTATION OF CELLS - Category 1 Regarded as if induce heritable mutations in germ cells of humans | |
| Muta. 1B | MUTATION OF CELLS - Category 2 Causes concern for the possibility of causing heritable mutations in germ cells of humans | |
| Rep. 2 | REPRODUCTIVE TOXIDITY - Category 2 Evidence from human studies is limited. May spread through breastfeeding | |
| Resp. Sens. 1A | RESPITORY SENSITIZATION - Category 1 Evidence in Humans that the substance can induce respiratory hypersensitivity | |
| Resp. Sens 1B | RESPITORY SENSITIZATION - Category 1 Suspected that the substance can induce respiratory hypersensitivity | |
| Skin Corr. 1 | SKIN CORROSION - Category 1 Irreversable effects on the skin | |
| Skin Corr. 1A | SKIN CORROSION - Category 1A Irreversable effects on the skin in less than 3 minutes exposure | |
| Skin Corr. 1B | SKIN CORROSION - Category 1B Irreversable effects on the skin in 3 minutes - 60 minutes exposure | |
| Skin Irrit. 2 | SKIN IRRITATION - Category 2 Causes reversable skin irritation effects. Recovery within 21 days to be expected. | |
| Skin Sens. 1 | SKIN SENSITIZATION - Category 1 Causing significant sensitization in humans when on skin | |
| Skin Sens. 1A | SKIN SENSITIZATION - Category 1 Causing significant sensitization in humans when on skin | |
| Skin Sens. 1B | SKIN SENSITIZATION - Category 1 Low to moderate fequency of causing significant sensitization in humans | |
| Skin Sens. 2 | SKIN SENSITIZATION - Category 2 Low chance of skin sensitization in humans | |

 TN

NAILPERFECT PROFESSIONAL SYSTEMS

| COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: See section 2 and 3 which are applicable to this product. | | |
|--|--|--|
| STOT SE 1 | SPECIFIC TARGET ORGAN TOXICITY (SIN-GLE EXPOSURE) - Category 1 Potential to produce significant toxidity in humans following a single exposure. | |
| STOT SE 2 | SPECIFIC TARGET ORGAN TOXICITY (SIN-GLE EXPOSURE) - Category 2 Potential to be harmful in human health after a single exposure. | |
| STOT SE 3 | SPECIFIC TARGET ORGAN TOXICITY (SIN-GLE EXPOSURE) - Category 3 Potential to cause narcotic effects (dizziness, drowsiness) and respiratory tract irritation (sore throat, caugh). These effects are temporary/not long term. | |
| STOT RE 2 | SPECIFIC TARGET ORGAN TOXICITY (RE- PEATED EXPOSURE) - Category 2 Potential to be harmful in human health after a repeated exposures. | |

End of safety data sheet