

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name: Gelpolish UPVOTED 9D Cat eye
Pages: 6
Use of substance / mixture: PC39: Cosmetics, personal care products

Details of the supplier of the safety data sheet:

Company name: International Beauty Partners B.V.
 De Run 4221
 5503 LM Veldhoven
 The Netherlands
Tel: +31 (0) 40 - 2069509
Fax: +31 (0) 40 - 2065481
Email: info@wwbdgroup.com


Emergency tel: National Poison Centre Netherlands tel: +31 (0)30 – 2748888 ‘
Only for the purpose of informing medical personnel in cases of acute intoxications’

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

<p>Personal Protection: See Section 8 Warning: Harmful If Swallowed, Absorbed Through Skin Or Inhaled. Do Not Spray. Do Not Heat. May Cause Allergic Skin Reaction.</p> <p>Causes Eye, Skin and Respiratory Tract Irritation Relevant routes of exposure: Skin, Inhalation, Eyes Potential Health Effects Skin contact: Contact skin will cause irritation.</p> <p>Eye contact: Contact with eyes will cause irritation.</p>
--

2.2 Label elements

Hazard pictograms	GHS07: Exclamation mark <div style="text-align: center;">  </div>
Signal word	Warning
Hazard statements	H315: Causes skin irritation. H319: Causes serious eye irritation H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335: Harmful to aquatic life with long lasting effects H371: May cause damage to organs
Precautionary statements	P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection. P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312: Call a POISON CENTER/doctor//if you feel unwell.
General	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Mixtures

Components	#CAS	EINECS	Hazard Class	Hazard statement	Contents
Acrylates Copolymer	25035-69-2	607-492-1	Skin Irrit.2, Eye Irrit.2, STOT SE 3, Resp. Sens. 1B	H315, H319, H335, H334	50-75 %
Pentaerythritol tetra(3-mercaptopropionate)	7575-23-7	231-472-8	Acute Tox4, Aquatic Chronic1, Aquatic Acute1, Skin Sens 1, Skin sens 1A, STOS SE 2 + 3, Eye Irrit.2, Skin Irrit.2	H302,H410,H400,H317,H371, H335, H319, H315	25-50 %
2-Isopropyl Thioxanthone	5495-84-1	226-827-9	Acute Tox 4, Skin Sens 1, Aquatic Chronic 4, Skin Sens 1B, STOT RE 2	H302, H317, H413, H317, H373	1-5 %
Trimethylbenzoyl Diphenylphosphine Oxide	75980-60-8	278-355-8	Aquatic Chronic 2, Skin Sens 1B, Aquatic Chronic 3, Skin Sens 1, Repr 1B, Aquatic Chronic 1,	H411, H317, H412, H317, H360, H400, H410	1-5 %
Dimethicone	9006-65-9		Eye, Irrit. 2	H319	1-5 %

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

SECTION 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Immediate / special treatment: Eye bathing equipment should be available on the premises

Extinguishing media: Foam, dry chemical or carbon dioxide

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors. Toxic fumes

Unusual fire or explosion hazards: Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Flash point: > 105°C

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling requirements: Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. DO NOT heat or spray. Use only with adequate ventilation. Refer to Section 8. Use only in area provided with appropriate exhaust ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: For safe storage, store at or below 30°C (86°F). Product is extremely light sensitive. If exposed to natural light, LED, UVA, UVB or UV any light, material will cure very quickly. Store in a cool, dry place, away from heat and all types of light. Store away from incompatible materials. Keep this materials away from heat, sparks, and open flame. Keep containers tightly closed when not in use..

7.3. Specific end use(s)

Specific end use(s): No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Engineering Controls

Workplace exposure limits	No data available.
DNEL / PNEC	No data available.

8.2. Exposure controls

Engineering measures	Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits
Hygiene measures	
Eye/face protection	Safety goggles or safety glasses with side shields. In a splash hazard environment, chemical goggles should be used in combination with a full face shield
Hand protection	Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves
Body protection	Protective clothing.
Other skin protection	Protective clothing.
Respiratory protection	Use COSHA approved respirator if there is potential to exceed exposure limit(s). If this material is handled at elevated temperatures or under mist forming conditions, without engineering controls, a COSHA approved respirator must be used.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	viscous liquid
Form	
Odor	Characteristic acrylate odor
Boiling Point/Freezing Point	
Melting point/range	
Flash point (°F/°C)	>93
pH	n/a
Evaporation rate	
Vapour pressure	
Relative density	
Solubility In Water	
Specific Gravity	(H2O=1) 1.10
Viscosity	Viscous
% Volatile	
Decomposition Temperature	
Ignition	
Octanol/Water Partioning Coefficient Log Po/w	
Flammable Limit (vol%)	
Auto-ignition Temperature (vol%)	

NDA= No Data Available

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity:	Stable under recommended transport or storage conditions
--------------------	--

10.2. Chemical stability

Chemical stability	
---------------------------	--

10.3. Possibility of hazardous reactions

Hazardous reactions	Hazardous reactions will not occur under normal transport or storage conditions. Polymerisation may occur on exposure to conditions or materials listed below. Decomposition may occur on exposure to conditions or materials listed below
----------------------------	--

10.4. Conditions to avoid

Conditions to avoid	Storage>80°C, exposure to light, loss of dissolved air, loss of polymerization, contamination with incompatible materials.
----------------------------	--

10.5. Incompatible materials

Materials to avoid	Strong oxidising agents. Strong acids
---------------------------	---------------------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	May occur --- Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.
---	--

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Hazardous ingredients

HYDROXY PROPYL METHACRYLATE				
ORAL	RAT	LD50	11600	Mg/kg
Relevant hazards for product				
Hazard	Route	Basis		
Skin corrosion/irritation	DRM	Data lacking		
Serious eye damage/irritation	OPT	Data lacking		
Respiratory/skin sensitization	DRM	Data lacking		
STOT-single exposure	INH	Data lacking		
Symptoms / routes of exposure				
Skin contact	There may be irritation and redness at the site of contact			
Eye contact	There may be irritation and redness. The eyes may water profusely			
Ingestion:	There may be soreness and redness of the mouth and throat			
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.			
Delayed / immediate effects	Immediate effects can be expected after short-term exposure			

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Hazardous ingredients

--	--	--	--

12.3 Bioaccumulative potential

Bioaccumulative potential	Bioaccumulation potential
----------------------------------	---------------------------

12.4 Mobility in soil

Mobility	
-----------------	--

12.5. Results of PBT and vPvB assessment

PBT identification	This product is not identified as a PBT/vPvB substance
Mobility	Readily absorbed into soil

12.6. Other adverse effects

Other adverse effects	
------------------------------	--

SECTION 13. DISPOSAL CONSIDERATIONS

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1. Waste treatment methods

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal

SECTION 14. TRANSPORT INFORMATION

DOT (49 CFR 172)	Not regulated.
Proper Shipping Name	
Identification #	
Marine Pollutant	
Special Provisions	
Emergency Response Guidebook (ERG)#	
IATA (DGR)	Not regulated.
Proper Shipping Name	
Class or Division	
UN or ID Number	
Packaging instructions	
Emergency Response Guidance (ICAO)#	
IMO (IMDG)	Not regulated.
Proper Shipping Name	
Class or Division	
UN or ID Number	
Special Provisions & Stowage/Segregation	
Emergency Schedule (EmS)#	
Other Information	

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization Annex XIV
 None of the components are listed.

SECTION 16. OTHER INFORMATION

Other information:

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing

Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

States in artikel 1.5 (C)

This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user

C) cosmetic products as defined in Directive 76/768/EEC

The information presented in this MSDS was obtained from sources considered to be reliable. However the information is provided without any warranty, expressed or implied, regarding its correctness and suitability for consumers intended use and/or application. For this reason, we assume no responsibility and expressly disclaim liability for loss, damage, or expense arising out of any use connected with the handling, storage, use or disposal of the product. If the product is used in conjunction with another product, the information within the MSDS may not be applicable.

Prepared by; DVD Group - De Run 4221 – 5503LM - Veldhoven - Netherlands - Tel: +31 (0) 40 -2307559 – info@dvdgroup.eu