

NAILPERFECTTM

PROFESSIONAL SYSTEMS

Material Safety Data Sheet

Regulation (EC) No. 1907/2006, 1272/2008

Version No.: 1.0 Printing Date: July 1, 2021 Page 1/1

MSDS REPORT

GW Investments B.V.
Olen 26, 5474 Nuenen
The Netherlands

SDS Report No : SDS202106300005-1
Compilation Date : 30-06-2021
Trade Name : NailPerfect Color + Gel (Gels)
Product Names :
NailPerfect Color + Gel Black
NailPerfect Color + Gel White
NailPerfect Color + Gel Red
NailPerfect Color + Gel Blue
NailPerfect Color + Gel Yellow
NailPerfect Color + Gel French Gel
NailPerfect Color + Gel Foil Design Gel

Composition of the Ingredients : See section 3 on the SDS
Service Requested : Safety Data Sheet (SDS) for the requested sample.
Summary : The contents and the formats of the MSDS are prepared in accordance with Regulation EC No 1907/2006, 1272/2008 Regulation (EU) No 2015/830 and are provided per attached.

NAILPERFECTTM

PROFESSIONAL SYSTEMS

SECTION 1: Identification of the Substance/Mixture and of the Company

1.1 Product Identifier

Trade Name: NailPerfect Color + Gel (family/product range)

The family range of products have the same basic ingredients, with variation in color-additives.

Packaging in 7 gr and 14 gr.

Registration number: Data not available

Made in: GERMANY (European Union)

1.2 Relevant identified uses of the substance or mixture and uses advised against on

Application of the substance/mixture: Nail Art, Manicure, Pedicure, Nailcare

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GW Beauty B.V.

Olen 26, 5474 Nuenen

The Netherlands

Tel: +31 617648788

Email: info@gwinvestments.nl

Further information obtainable from: GW Investments B.V.

1.4 Emergency telephone number

EU and Russia: 112 (Available 24 hours per day)

UK: 999 (Available 24 hours per day)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture


Classification according to regulation (EC) 1272/2008:

Classification under CLP	Skin Irrit. 2: H315 Causes skin irritation; Skin Sens. 1: H317 May cause allergic skin reactions; Eye Irrit. 2: H319 Causes serious eye irritation
Most important adverse effects	Irritating to eyes. Causes serious eye irritation. May cause an allergic reaction. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

NAILPERFECTTM

PROFESSIONAL SYSTEMS

2.2 Label Elements

Label elements under CLP	
Hazard statements	<p>H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.</p>
Signal words	WARNING
Hazard pictograms	<p>GHS07: Exclamation mark</p> 
Precautionary statements	<p>P280: Wear: Protective clothing, Eye protection, protective mask, faceprotection, gloves. P302+352: IF ON SKIN: Wash with plenty of water/soap. P332 + P313: If skin irritation or rash occurs: Get medical advice / attention. P305 + P352 + P338 - IF IN EYES: Rinse cautiously with water for several minutes Rinse. Remove any contact lenses if possible. Continue rinsing. P337 + P313: If eye irritation persists: Get medical advice / attention.</p>
Label elements under CHIP	Irritant.
Hazard symbols	
Risk phrases	R36: Irritating to eyes.
Cont. Risk Phrases	<p>R66: Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness.</p>

NAILPERFECTTM

P R O F E S S I O N A L S Y S T E M S

Safety phrases	S61: Avoid release to the environment. Refer to special instructions / safety data sheets.
Signal words	WARNING

2.3 Other Hazards

Other hazards	Excessive inhalation of vapors may irritate the respiratory system.
PBT	This substance is not identified as a PBT substance.
Signal words	WARNING

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredients:

INCI NAME	Aliphatic Urethane Acrylate			
Mol. Formula	-			
REACH Number	Not Listed			
Cosmetic Function	FLEXIBLE BINDER			
EC Number	CAS Number	Chemical ID	Not class. but may exp.	Percent
934-754-5	-	Aliphatic urethane acrylate	Acute Tox. 4: H302; Acute Tox. 4: H312; Acute Tox. 4: H332; Skin Irrit. 2: H315; Eye Irrit. 2 : H319.	

Aliphatic Urethane Diacrylate

Mol. Formula

INCI NAME	Aliphatic Urethane Di-crylate			
Mol. Formula	-			
REACH Number	Not Listed			
Cosmetic Function	FLEXIBLE BINDER			
EC Number	CAS Number	Chemical ID	CLP Classification	Percent
-	-	-	-	

NAILPERFECTTM

P R O F E S S I O N A L S Y S T E M S

INCI NAME	Ethylphenyl(2,4,6-trimethylbenzoyl)phosphinate			
Mol. Formula	C ₁₈ H ₂₁ O ₃ P			
REACH Number	Not REACH registered			
Cosmetic Function	PHOTO INITIATING			
EC Number	CAS Number	Chemical ID	Not class. but may exp.	Percent
282-810-6	84434-11-7	Ethyl phenyl(2,4,-6-trimethylbenzoyl)phosphinate	Aq. Acute 1: H400; Aq. Chron. 2: H411; Skin Sens. 1B: H317; STOT SE 1: H370; STOT RE2: H373; STOT SE 3: H335; Carc. 1A: H350; Aq Chron 2: H411; Aq Chron 3: H412; Aq Chron 4: H413; Repr. 2: H361.	

INCI NAME	Polyethylene glycol200dimethacrylate			
Mol. Formula	C ₂₀ H ₃₂ N ₂ O ₈			
REACH Number	Index No: 604-044-00-7 EC Regulation Provision: III/95			
Cosmetic Function	BINDING			
EC Number	CAS Number	Chemical ID	Not class. but may exp.	Percent
607-819-8	25852-47-5	2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate	Skin Sens. 1: H317; Skin Sens. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335; Aq. Chron. 3: H412; Skin Irrit. 2: H315.	

INCI NAME	SILICA DIMETHYL SILYLATE			
Mol. Formula	C ₂ H ₆ Cl ₂ Si ₂ O ₂ Si			
REACH Number	Not Listed			
Cosmetic Function	VISCOSITY CONTROL / ANTI-CRACKING			
EC Number	CAS Number	Chemical ID	Not class. but may exp.	Percent
271-893-4	68611-44-9	Silane, dichlorodimethyl-, reaction products with silica	Acute Tox. 2: H330; Acute Tox. 1: H330; STOT RE 2L: H373; Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H335.	

NAILPERFECTTM

P R O F E S S I O N A L S Y S T E M S

INCI NAME	ISOPROPYLIDENEDIPHENYL BISOXYHYDROXYPROPYL METHACRYLATE			
Mol. Formula	C ₂₉ H ₃₆ O ₈			
REACH Number	Not Listed			
Cosmetic Function	FILM FORMING			
EC Number	CAS Number	Chemical ID	Not class. but may exp.	Percent
216-367-7	1565-94-2	(1-methylidene) bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Eye Dam. 1: H318; Skin Sens. 1: H317; Skin Irr. 2: H315; Eye Irr. 2: H319; Aq. Chron. 3: H412; STOT SE 3: H335; Acute Tox. 4: H302; Skin Corr. 1C: H314; Matu. 2: H341.	

INCI NAME	CI 45410			
Mol. Formula	C ₂₀ H ₄ Br ₄ Cl ₄ O ₅ .2Na			
REACH Number	Not Listed			
Cosmetic Function	COLORANT			
EC Number	CAS Number	Chemical ID	Not class. but may exp.	Percent
242-355-6	18472-87-2	3,4,5,6-tetrachloro-2-(1,4,5,8-tetrabromo-6-hydroxy-3-oxoxanthene-9-yl)benzoic acid	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT RE 2: H373; STOT SE 3: H335; Aq. Acute 1: H400; Aq. Chron 2: H411; Aq. Chron 3: H412.	

INCI NAME	Ethylhexyl Acrylate			
Mol. Formula	C ₁₁ H ₂₀ O ₂			
REACH Number	Index No: 607-107-00-7			
Cosmetic Function	BINDING			
EC Number	CAS Number	Chemical ID	Not class. but may exp.	Percent
203-080-7	103-11-7	2-ethylhexyl acrylate	Skin Irrit. 2: H315; Skin Sens. 1: H317; STOT SE 3: H335.	

NAILPERFECTTM

PROFESSIONAL SYSTEMS

INCI NAME	BHT			
Mol. Formula	C ₄₀ H ₂₂ Cl ₆ N ₆ O ₄			
REACH Number	Not Listed			
Cosmetic Function	ANTIOXIDANT			
EC Number	CAS Number	Chemical ID	Not class. but may exp.	Percent
204-881-4	128-37-0	2,6-di-tert-butyl-p-cresol	Aq. Chron. 1: H410; Aq. Acute: 1; H400; Aq. Chron. 4: H413; Acute Tox. 4: H302; Acute Tox. 4: H312; Acute Tox. 4: H332; STOT SE 3: H335; Skin Irrit. 2: 315; Eye Irrit. 2: H319; STOT RE 2: H373; Muta. 1B: H340; Carc. 2: H351; Repr.2 : H361.	

INCI NAME	P-HYDROXYANISOLE			
Mol. Formula	C ₇ H ₈ O ₂			
REACH Number	Index No: 604-044-00-7 EC Regulation Provision: III/95			
Cosmetic Function	REDUCING			
EC Number	CAS Number	Chemical ID	CLP Classification	Percent
205-769-8	150-76-5	Mequinol	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Sens. 1:H317; Aq. Chron. 3: H412; Acute Tox. 4: H302; Repr. 2: H361.	

NAILPERFECTTM

PROFESSIONAL SYSTEMS

INCI NAME	Hydroquinone			
Mol. Formula	C ₆ H ₆ O ₂			
REACH Number	Index No. 604-005-00-4 (EC) 2013/344 Annex III/14			
Cosmetic Function	REDUCING			
EC Number	CAS Number	Chemical ID	CLP Classification	Percent
204-617-8	123-31	Hydroquino- ne	Carc. 2: H351; Muta. 2: H341; Acute Tox. 4 *: H302; Eye Dam. 1: H318; Skin Sens. 1:H317; Aq. Acute 1: H400. Professional Use Only.	

INCI NAME	CI 77499			
Mol. Formula	Fe ₃ O ₄ (FeO·Fe ₂ O ₃)			
REACH Number	Not Listed			
Cosmetic Function	COLORANT			
EC Number	CAS Number	Chemical ID	Not class. but may exp.	Percent
235-442-5	12227-89-3	Iron oxide black	Acute Tox. 4: H332; Self-heat. 1: H251; Self-heat. 2: H252.	

INCI NAME	CI 74160			
Mol. Formula	C ₃₂ H ₁₆ CuN ₈			
REACH Number	Not Listed			
Cosmetic Function	COLORANT			
EC Number	CAS Number	Chemical ID	Not class. but may exp.	Percent
205-685-1	147-14-8	29H,31H-phtha- locyaninato(2-) 29,N30,N31,N32 copper	Skin Sens. 1: H317; Aq. Chron. 4: H413; Aq. Chron. 3: H412; Aq. Acute 1: H400; Aq. Chron. 1: H410; Expl. 1.6: H317; Expl. 1.6: H413; Skin Irrit. 2; H315; Eye Irrit. 2: H319.	

4.2 Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs

NAILPERFECTTM

PROFESSIONAL SYSTEMS

or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye Contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention..
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

NAILPERFECTTM

PROFESSIONAL SYSTEMS

<p>Ingestion</p>	<p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
<p>Protection of first-aiders</p>	<p>No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.</p>

4.2. Most important symptoms and effects, both acute and delayed

<p>Skin contact</p>	<p>There may be irritation and redness at the site of contact.</p>
<p>Eye Contact</p>	<p>There may be irritation and redness. The eyes may water profusely.</p>
<p>Ingestion</p>	<p>There may be soreness and redness of the mouth and throat.</p>
<p>Inhalation</p>	<p>There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.</p>
<p>Delayed/ Immediate Effects</p>	<p>Immediate effects can be expected after short-term exposure.</p>

NAILPERFECTTM

PROFESSIONAL SYSTEMS

4.3. Indication of any immediate medical attention and special treatment needed

Immediate special treatment	Eye bathing equipment should be available on the premises.
-----------------------------	--

4.4. Most important symptoms and effects, both acute and delayed

Skin contact	Adverse symptoms may include the following: irritation, redness, dryness, cracking.
Eye Contact	There may be irritation and redness. The eyes may water profusely.
Ingestion	There may be soreness and redness of the mouth and throat.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest. Adverse symptoms may include the following: nausea or vomiting headache drowsiness/fatigue dizziness/vertigo
Delayed/ Immediate Effects	Immediate effects can be expected after short-term exposure.

4.5. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

SECTION 5: FIRE-Fighting MEASURES

5.1 Extinguishing Media

Extinguishing Media	Use dry chemical, CO ₂ , water spray (fog) or foam. Do not use: water jet, Carbon dioxide, formation of phosgene.
---------------------	---

5.2. Special hazards arising from the substance or mixture

Exposure hazards	In combustion emits toxic fumes.
Hazards from the substance or mixture	Data not known.

NAILPERFECTTM

P R O F E S S I O N A L S Y S T E M S

Hazardous thermal decomposition products	Decomposition products may include the following materials: Carbon oxides, nitrogen oxides and sulfur oxides
---	---

5.3 Advice for fire-fighters

Advice for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources.

NAILPERFECTTM

PROFESSIONAL SYSTEMS

<p>For non-emergency personnel</p>	<p>No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.</p>
<p>For emergency responders</p>	<p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.</p>

6.2. Environmental precautions

<p>Environmental precautions</p>	<p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Do not discharge into waterways such as drains, lakes, rivers, ocean. Contain the spillage using bunding.</p>
---	---

6.3. Methods and material for containment and cleaning up

<p>Small spill</p>	<p>Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
<p>Large spill</p>	<p>Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas.</p>

NAILPERFECTTM

PROFESSIONAL SYSTEMS

<p>Large spill cont.</p>	<p>Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.</p>
---------------------------------	---

6.4. Reference to other sections

<p>Reference to other sections</p>	<p>See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.</p>
---	--

SECTION 7: HANDLING AND STORAGE

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

<p>Handling requirements</p>	<p>Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.</p>
<p>Protective measures</p>	<p>Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.</p>

NAILPERFECTTM

PROFESSIONAL SYSTEMS

<p>Protective measures cont.</p>	<p>Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.</p>
<p>Advice on general occupational hygiene</p>	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>

7.2. Conditions for safe storage, including any incompatibilities

<p>Storage conditions: Temperature</p>	<p>Store between the following temperatures: 13 to 27°C (55.4 to 80.6°F).</p>
<p>Storage conditions: Exposure</p>	<p>Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.</p>
<p>Storage conditions: Dangerous reaction</p>	<p>Eliminate all ignition sources. Separate from oxidizing materials.</p>
<p>Storage conditions: Packaging and Labeling</p>	<p>Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers.</p>
<p>Storage conditions: Regulations</p>	<p>Store in accordance with local regulations.</p>

NAILPERFECTTM

PROFESSIONAL SYSTEMS

Seveso II Directive - Reporting thresholds (in tonnes)

Category	Notification and MAPP threshold	Safety report threshold
P5c: Flammable liquids 2 and 3 not falling under P5a or P5b C7b: Highly flammable (R11)	No Data	No Data

7.3. Specific end use(s)

Specific end use(s)	UV-light Gel for Nail Modeling.
---------------------	---------------------------------

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Hazardous ingredients

8.1. Workplace Exposure limits

Exposure Limits	No data available.
-----------------	--------------------







8.1. DNEL/PNEC Values

DNEL/PNEC	No data available.
-----------	--------------------

NAILPERFECTTM

PROFESSIONAL SYSTEMS

8.2. Exposure controls

Engineering measures	<p>Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.</p> 
Respiratory protection	<p>Self-contained breathing apparatus must be available in case of emergency. ALWAYS use protective mask.</p> 
Hand protection	<p>ALWAYS use protective gloves.</p> 
Eye protection	<p>ALWAYS use safety glasses. Ensure eye bath is to hand.</p> 
Protection of face	<p>Use Protective masks</p> 
General Theft Protection	<p>Keep the products locked up when not in use to prevent theft. Keep out of reach of children.</p> 

NAILPERFECTTM

PROFESSIONAL SYSTEMS

EXPLANATORY DESCRIPTION

General Hygiene Measures	<p>Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.</p> <p>Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace.</p> <p>Wash contaminated clothing before reusing.</p> <p>Ensure that eyewash stations and safety showers are close to the workstation location.</p>
Hand protection	<p>Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.</p> <p>Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties.</p> <p>It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers.</p> <p>In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.</p>
Body protection	<p>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</p> <p>When there is a risk of ignition from static electricity, wear anti-static protective clothing.</p> <p>For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.</p> <p>Refer to European Standard EN 1149 for further information on material and design requirements and test methods.</p>

NAILPERFECTTM

PROFESSIONAL SYSTEMS

Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Respiratory protection	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

NAILPERFECTTM

PROFESSIONAL SYSTEMS

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

State	Liquid
Colour	Various Colors
Odor	Characteristic odor.
Flash point°C	>150
Upper/lower flammability or explosive limits	Not available.
Flammability	Flammable.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Explosion hazard	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not available
Viscosity	Viscous liquid

9.2. Other information

Other information	No data available.
-------------------	--------------------

SECTION 10: STABILITY AND REACTIVITY

10.1.Reactivity

Reactivity	Stable under recommended transport or storage conditions.
------------	---

10.2. Chemical stability

Chemical stability	Stable under normal conditions. Stable at room temperature.
--------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Keep away from oxidizing agents.
------------------------------------	----------------------------------

10.4. Conditions to avoid

Conditions to avoid	Direct sunlight and UV light. Effect: Product Hardens
---------------------	---

NAILPERFECTTM

PROFESSIONAL SYSTEMS

10.5. Incompatible materials

Materials to avoid	Strong oxidizing agents. Strong acids.
--------------------	---

10.6. Hazardous decomposition products

Reactivity	In combustion emits toxic fumes.
------------	----------------------------------

SECTION 11: TOXICOLOGICAL INFORMATION

11.1..Information on toxicological effects

Hazardous ingredients

Aliphatic Urethane Acrylates

Carcinogenicity	No data (European Chemical Agency)
Acute Toxicity	No data (European Chemical Agency)
Repeated Exposure Toxicity	No data (European Chemical Agency)

Ethylphenyl(2,4,6-trimethylbenzoyl)phosphinate

Carcinogenicity	No data (European Chemical Agency)
Acute Toxicity	Based on the results of the available studies, ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate is not required to be classified for its acute toxicity potential according to 67/548/EEC and CLP/EU-GHS requirements. (European Chemical Agency)
Repeated Exposure Toxicity	Tables 3.9.2 and 3.9.3 of Regulation 1272/2008 (CLP regulation) that require the substance to be classified as a Category 1 or 2 toxicant, so based on the results of the study the test material does not require classification for this endpoint. (European Chemical Agency)

NAILPERFECTTM

PROFESSIONAL SYSTEMS

Polyethylene glycol200dimethacrylate

Carcinogenicity	No data (European Chemical Agency)
Acute Toxicity	No data (European Chemical Agency)
Repeated Exposure Toxicity	No data (European Chemical Agency)

Silica Dimethyl Silylate

Carcinogenicity	No data (European Chemical Agency)
Acute Toxicity	No data (European Chemical Agency)
Repeated Exposure Toxicity	No data (European Chemical Agency)

Isopropylidenediphenyl Bisoxhydroxypropyl Methacrylate

Carcinogenicity	No data (European Chemical Agency)
Acute Toxicity	No data (European Chemical Agency)
Repeated Exposure Toxicity	No data (European Chemical Agency)

Polyester Resin

Carcinogenicity	No data (European Chemical Agency)
Acute Toxicity	No data (European Chemical Agency)
Repeated Exposure Toxicity	No data (European Chemical Agency)

Ethylhexyl Acrylate

Carcinogenicity	GHS classification (GHS UN rev.4, 2011) identical to REGULATION (EC) No 1272/2008: no classification required (European Chemical Agency)
Acute Toxicity	2-Ethylhexyl acrylate is of low toxicity after a single ingestion and virtually nontoxic after a single skin contact. The inhalation of a highly saturated vapour-air-mixture represents an unlikely acute hazard. (European Chemical Agency)
Repeated Exposure Toxicity	GHS classification (GHS UN rev.4, 2011) identical to REGULATION (EC) No 1272/2008. (European Chemical Agency)

BHT

Carcinogenicity	no adverse effect observed (European Chemical Agency)
Acute Toxicity	Since the oral LD50 in rats is greater than 6000 mg/kg bw and the dermal LD50 is greater than 2000 mg/kg bw, the substance is not classified for acute toxicity in accordance to CLP Regulation. (European Chemical Agency)
Repeated Exposure Toxicity	substance is not classified as "Specific target organ toxicity — repeated exposure (European Chemical Agency)

NAILPERFECTTM

PROFESSIONAL SYSTEMS

P-Hydroxyanisole

Carcinogenicity	Carcinogenicity: via oral route (<i>EU Risk Assessment Report for MMA (2002)</i> ; <i>European Chemical Agency</i>)
Acute Toxicity	Oral route: PMP is officially classified as harmful if swallowed (acute oral toxicity category 4, H302: Harmful if swallowed) according to CLP Regulation (EC) n° 1272/2008 Annex VI table 3. Inhalation: Since PMP particle size is higher than 100 µm, no study by inhalation route is required. Dermal route: Based on the dermal LD50 in rats greater than 2000 mg/kg bw, PMP is not classified for dermal acute toxicity according to CLP Regulation (EC) n° 1272/2008. (<i>European Chemical Agency</i>)
Repeated Exposure Toxicity	No data (<i>European Chemical Agency</i>)

Modified Polysiloxane

Carcinogenicity	No data (<i>European Chemical Agency</i>)
Acute Toxicity	No data (<i>European Chemical Agency</i>)
Repeated Exposure Toxicity	No data (<i>European Chemical Agency</i>)

Hydroquinone

Carcinogenicity	Index No. 604-005-00-4
Acute Toxicity	Index No. 604-005-00-4
Repeated Exposure Toxicity	(EC) 2013/344 Annex III/14

NAILPERFECTTM

PROFESSIONAL SYSTEMS

Relevant effects for mixture

Effect	Route	Basis
Irritation	OPT	Hazardous calculated

11.2.Symptoms / routes of exposure

Skin contact	There may be irritation and redness at the site of contact. Cracking.
Eye contact	There may be irritation and redness. The eyes may water profusely
Ingestion	There may be soreness or redness of the mouth and throat.
Inhalation	Adverse symptoms may include the following: nausea or vomiting, headache, drowsiness/fatigue, dizziness/vertigo
Delayed / immediate effects: General	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
Delayed / immediate effects: Carcinogenicity	No known significant effects or critical hazards.
Delayed / immediate effects: Mutagenicity	No known significant effects or critical hazards.
Delayed / immediate effects: Teratogenicity	No known significant effects or critical hazards.
Delayed / immediate effects: Developmental effects	No known significant effects or critical hazards.
Delayed / immediate effects: Fertility effects	No known significant effects or critical hazards.

NAILPERFECTTM

P R O F E S S I O N A L S Y S T E M S

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Biotocidity data, if relevant, can be found under the European Chemical Agency's website www.echa.eu - cas number or inci name.

12.2. Persistence and degradability

Persistence and degradability	Biodegradable
--------------------------------------	---------------

12.3. Bioaccumulative potential

Bioaccumulative potential data, if relevant, can be found under the European Chemical Agency's website www.echa.eu - cas number or inci name.

12.4. Mobility in soil

Soil/water partition coefficient (KOC)	No Data Available
Mobility	No Data Available

12.5. Results of PBT and vPvB assessment

PBT identification	This product is not identified as a PBT substance.
vPvB identification	This product is not identified as a vPvB substance.

12.6. Other adverse effects

Other adverse effects	No Bioaccumulation.
------------------------------	---------------------

NAILPERFECTTM

PROFESSIONAL SYSTEMS

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal operations	<p>The generation of waste should be avoided or minimised wherever possible.</p> <p>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.</p> <p>Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.</p> <p>Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.</p>
Hazardous waste	<p>The classification of the product may meet the criteria for a hazardous waste.</p>
Hazardous waste	<p>The generation of waste should be avoided or minimised wherever possible.</p> <p>Wastepackaging should be recycled.</p> <p>Incineration or landfill should only be considered when recycling is not feasible.</p>
Special precautions	<p>This material and its container must be disposed of in a safe way.</p> <p>Care should be taken when handling emptied containers that have not been cleaned or rinsed out.</p> <p>Empty containers or liners may retain some product residues.</p> <p>Vapor from product residues may create a highly flammable or explosive atmosphere inside the container.</p> <p>Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally.</p> <p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.</p>

NAILPERFECTTM

P R O F E S S I O N A L S Y S T E M S

SECTION 14: TRANSPORT INFORMATION

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	None	None	None	None
14.2 UN proper shipping name	None	None	None	None
14.3 Transport hazard class(es)	None	None	None	None
14.4 Packing group	None	None	None	None
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

114.6. Special precautions for user

Special precautions	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
----------------------------	--

114.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Special precautions	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
----------------------------	--

NAILPERFECTTM

PROFESSIONAL SYSTEMS

SECTION 15: TRANSPORT INFORMATION

15.1. Safety, health and environmental regulation/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV	None of the components are listed.
Substances of very high concern	None of the components are listed.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.
Other EU regulations Europe inventory	All components are listed or exempted.
Seveso II Directive	Not applicable.
Danger criteria : Category	Not applicable.
15.2 Chemical Safety Assessment	Unknown

NAILPERFECTTM

PROFESSIONAL SYSTEMS

SECTION 16: OTHER INFORMATION

Other information:

<p>Other information</p>	<p>This safety data sheet is prepared in accordance with Regulation (EC) No 453/2010 * Indicates text in the SDS which has changed since the last revision</p>
<p>Phrases used in s.2 and 3</p>	<p>H302: Harmful if swallowed. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H361f: Suspected of damaging fertility. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.</p>
<p>Abbreviations and acronyms</p>	<p>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative</p>

NAILPERFECTTM

PROFESSIONAL SYSTEMS

<p>Aquatic Chronic 3, H412 Eye Irrit. 2, H319</p> <p>Flam. Liq. 2, H225 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT SE 3, H336</p>	<p>LONG-TERM AQUATIC HAZARD - Category 3 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 2 SKIN CORROSION/IRRITATION - Category 2 SKIN SENSITIZATION - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) [Narcotic effects] - Category 3</p>
<p>Phrases used in s.2 and 3</p>	<p>EUH066: Repeated exposure may cause skin dryness or cracking. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects. R10: Flammable. R11: Highly flammable R36/38: Irritating to eyes and skin.</p>
<p>Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H336 (Narcotic effects) Aquatic Chronic 3, H412</p>	<p>Calculation method Calculation method Calculation method Calculation method</p>
<p>Legal disclaimer</p>	<p>The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.</p>

NAILPERFECTTM

P R O F E S S I O N A L S Y S T E M S

The contents and format of this SDS are in accordance with REgulation (EC) No. 1907/2006, 1272/2008 and Regulation (EU) No. 2015/830.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Abbreviations and acronyms

COMMON ABRIVIATIONS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET.

°C	Degrees in Centigrade
°F	Degrees in Farenheit
ADR	Accord European sur le transport des marchandises dangereuse par Route (European Agreement concerning the International
ATE	Acute Toxicity Estimate
CAS Number	Chemical Abstract Service - Registry number. Identification number for a specific substance.
CLP	Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC Number	Enzyme Commission Number. Numerical classification for enzymes. Specific number.
EC25	Effect Concentration e.g. EC25 - is at 25%
IMDG	International Maritime Code for Dangerous Goods.
IATA	Internatinal Air Transport Association
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LC50	The concentration of a material in air which, on the basis of laboratory tests, is expected to kill 50% of a group
LOEC	Lowest concentration where an effect has been observed in chronic ecotoxicity studies

NAIL PERFECTTM

P R O F E S S I O N A L S Y S T E M S

COMMON ABRIVIATIONS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET.

Log Pow	A product's ability to bioaccumulate through the food chain
mg/L	Miligrams per Liter
MSDS	Material Safety Data Sheet
N/E	Not Explored - No data available.
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
RRN	REACH Registration Number
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
SDS	Safety Data Sheet
SVHC	Substance of Very High Concern
EUH statement	CLP-specific Hazard statement
vPvB	Very Persistent and Very Bioaccumulative

Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H336 (Narcotic effects) Aquatic Chronic 3, H412	Calculation method Calculation method Calculation method Calculation method
---	--

The following page contains explanation of abriviative warnings which may or may not be of concern to this SDS. See section 2 and 3 to determine if these warnings are applicable to this product!

NAILPERFECTTM

PROFESSIONAL SYSTEMS

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: See section 2 and 3 which are applicable to this product.

H220:	Extremely flammable gas
H225:	Highly flammable liquid and vapour
H226:	Flammable liquid and vapour
H241:	Heating may cause a fire or explosion
H242:	Heating may cause a fire
H302:	Harmful if swallowed.
H312:	Harmful in contact with skin or if inhaled
H313:	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315:	Causes skin irritation.
H316:	Causes mild skin irritation
H317:	May cause an allergic skin reaction.
H318:	Causes serious eye damage.
H319:	Causes serious eye irritation.
H330	Fatal if inhaled
H332:	Harmful if inhaled
H334:	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335:	May cause respiratory irritation.
H336:	May cause respiratory irritation
H340:	May cause genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H341:	Suspected of causing genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H350:	May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H351:	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H361f:	Suspected of damaging fertility.
H370:	Causes damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

NAILPERFECTTM

P R O F E S S I O N A L S Y S T E M S

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: See section 2 and 3 which are applicable to this product.	
Acute Tox. 1	ACUTE TOXIDITY - Category 1 <i>Fatal if Inhaled</i>
Acute Tox. 2	ACUTE TOXIDITY - Category 2 <i>Fatal if Inhaled</i>
Acute Tox. 3	ACUTE TOXIDITY - Category 3 <i>Toxic if inhaled</i>
Acute Tox. 4	ACUTE TOXIDITY - Category 4 <i>Harmful if inhaled</i>
Aq.Chron. 1	LONG-TERM AQUATIC HAZARD - Category 1
Aq.Chron. 2	LONG-TERM AQUATIC HAZARD - Category 2
Aq.Chron. 3	LONG-TERM AQUATIC HAZARD - Category 3
Carc. 1A	CARCINOGEN - Category 1 <i>Known to have carcinogen potential for humans</i>
Carc. 1B	CARCINOGEN - Category 1 <i>Presumed to have carcinogen potential for humans</i>
Carc. 2	CARCINOGEN - Category 2 <i>Limited evidence from studies</i>
Eye Dam. 1	SERIOUS EYE DAMAGE - Category 1 <i>Irreversible effects on the eye</i>
Eye Irrit. 2	SERIOUS EYE IRRITATION - Category 2 <i>Irritating to eyes. Fully reversible normally in 21 days or less.</i>
Eye Irrit. 2B	EYE IRRITATION - Category 2B <i>Mildly irritating to eyes. Fully reversible in 7 days.</i>
Flam. Liq. 1	FLAMMABLE LIQUIDS - Category 1 <i>Flashpoint <23 °C (73.4 °F) and initial boiling point <35 °C (95 °F)</i>
Flam. Liq. 2	FLAMMABLE LIQUIDS - Category 2 <i>(Flashpoint <23 °C (73.4 °F) and initial boiling point >35 °C (95 °F))</i>
Flam. Liq. 3	FLAMMABLE LIQUIDS - Category 1 <i>Flashpoint >23 °C (73.4 °F) and initial boiling point <60 °C (140 °F)</i>
Muta. 1A	MUTATION OF CELLS - Category 1 <i>Known to induce heritable mutations in germ cells of humans</i>

NAILPERFECTTM

PROFESSIONAL SYSTEMS

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: See section 2 and 3 which are applicable to this product.

H371:	May cause damage to organs (or state all organs affected, if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H372:	Causes damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H373:	May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H400:	Very toxic to aquatic life.
H410:	Very toxic to aquatic life with long lasting effects.
H411:	Toxic to aquatic life with long lasting effects
H412:	Harmful to aquatic life with long lasting effects.
H413:	May cause long lasting harmful effects to aquatic life
EUH066:	Repeated exposure may cause skin dryness or cracking.
For Professional Use Only	Should be used by professionally trained personell only. Specific training for this product needed.

NAILPERFECTTM

P R O F E S S I O N A L S Y S T E M S

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: See section 2 and 3 which are applicable to this product.	
Muta. 1B	MUTATION OF CELLS - Category 1 <i>Regarded as if induce heritable mutations in germ cells of humans</i>
Muta. 1B	MUTATION OF CELLS - Category 2 <i>Causes concern for the possibility of causing heritable mutations in germ cells of humans</i>
Rep. 2	REPRODUCTIVE TOXIDITY - Category 2 <i>Evidence from human studies is limited. May spread through breastfeeding</i>
Resp. Sens. 1A	RESPIRATORY SENSITIZATION - Category 1 <i>Evidence in Humans that the substance can induce respiratory hypersensitivity</i>
Resp. Sens 1B	RESPIRATORY SENSITIZATION - Category 1 <i>Suspected that the substance can induce respiratory hypersensitivity</i>
Skin Corr. 1	SKIN CORROSION - Category 1 <i>Irreversible effects on the skin</i>
Skin Corr. 1A	SKIN CORROSION - Category 1A <i>Irreversible effects on the skin in less than 3 minutes exposure</i>
Skin Corr. 1B	SKIN CORROSION - Category 1B <i>Irreversible effects on the skin in 3 minutes - 60 minutes exposure</i>
Skin Irrit. 2	SKIN IRRITATION - Category 2 <i>Causes reversible skin irritation effects. Recovery within 21 days to be expected.</i>
Skin Sens. 1	SKIN SENSITIZATION - Category 1 <i>Causing significant sensitization in humans when on skin</i>
Skin Sens. 1A	SKIN SENSITIZATION - Category 1 <i>Causing significant sensitization in humans when on skin</i>
Skin Sens. 1B	SKIN SENSITIZATION - Category 1 <i>Low to moderate frequency of causing significant sensitization in humans</i>
Skin Sens. 2	SKIN SENSITIZATION - Category 2 <i>Low chance of skin sensitization in humans</i>

NAILPERFECTTM

PROFESSIONAL SYSTEMS

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: See section 2 and 3 which are applicable to this product.

STOT SE 1	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 1 <i>Potential to produce significant toxicity in humans following a single exposure.</i>
STOT SE 2	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 2 <i>Potential to be harmful in human health after a single exposure.</i>
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 3 <i>Potential to cause narcotic effects (dizziness, drowsiness) and respiratory tract irritation (sore throat, cough). These effects are temporary/ not long term.</i>
STOT RE 2	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 <i>Potential to be harmful in human health after a repeated exposures.</i>

End of safety data sheet